




Cennik

Cały zakres produktów



Kaimann GmbH

Hansastr. 2-5
33161 Hövelhof
Germany
Tel.: +49 5257 9850 - 0
info.kaimann@saint-gobain.com
www.kaimann.com

Wjazd dla ciężarówek

Paderborner Straße 39
33161 Hövelhof
Germany

Kontakt

Sprzedaż w Polsce

Kaimann Polska

Aleja Jana Nowaka-
Jeziorańskiego 39
44-102 Gliwice
Polska
zamowienia.kaimann
@saint-gobain.com

Paweł Laskowski

Regional Sales Manager
Mobil: +48 572 775 201
pawel.laskowski@
saint-gobain.com

Piotr Daniluk

Regional Sales Manager
Mobil: +48 572 770 373
piotr.daniluk@
saint-gobain.com

Piotr Konieczny

Business Manager Poland
Mobil: +48 660 202 818
piotr.konieczny@
saint-gobain.com

Marcin Dombek

Dział realizacji zamówień
Phone: +48 734 193 657
marcin.dombek@
saint-gobain.com

Piotr Pająk

Dział realizacji zamówień
Phone: +48 660 629 581
piotr.pajak@
saint-gobain.com

Spis treści

	Strona
Chłodnictwo/Klimatyzacja/Wentylacja	
Kaiflex KKplus s1	3
Kaiflex ST s2	6
Kaiflex ST	11
Kaiflex Duct System	12
Zastosowanie w wysokich temperaturach	
Kaiflex EPDMplus	13
Zastosowania bezhalogenowe	
Kaiflex HFplus s2	15
Rozwiązania w zakresie izolacji akustycznej	
Kaiflex SL	17
Kaivenience	18
Kaisound	19
Systemy powłokowe	
Kaiflex Protect Alu-TEC	20
Kaiflex Protect F-BLACK	22
Kaiflex Protect Alu-NET	24
Kaiflex Protect TS	26
Protect (R) HD	27
Akcesoria	
Kaiflex RT-ST	28
Kaiflex FT	29
Kaiflex ECplus	30
Kaiflex Pyrostar XTRA	32
Kleje i inne	33
Narzędzia	34
Produkty w rolkach	35
Inne	35
Ogólne warunki dostaw	37

Kaiflex KKplus s1

Otulina · niepowlekana (technologia KaiCene)

Kolor: Antracyt · Długość: 1,2 m

13 mm Grubość				19 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
KK+s1-T-1,2m-13x015	4005146	108,0	42,47	KK+s1-T-1,2m-19x015	4005157	62,4	78,24
KK+s1-T-1,2m-13x018	4005147	88,8	45,85	KK+s1-T-1,2m-19x018	4005158	50,4	79,74
KK+s1-T-1,2m-13x022	4005148	73,2	47,75	KK+s1-T-1,2m-19x022	4005159	49,2	91,05
KK+s1-T-1,2m-13x028	4005149	58,8	52,14	KK+s1-T-1,2m-19x028	4005160	39,6	98,08
KK+s1-T-1,2m-13x035	4005150	50,4	58,17	KK+s1-T-1,2m-19x035	4005161	30,0	106,66
KK+s1-T-1,2m-13x042	4005151	36,0	70,48	KK+s1-T-1,2m-19x042	4005162	27,6	124,51
KK+s1-T-1,2m-13x048	4005152	38,4	74,78	KK+s1-T-1,2m-19x048	4005163	24,0	127,24
KK+s1-T-1,2m-13x054	4005153	36,0	82,04	KK+s1-T-1,2m-19x054	4005164	19,2	169,07
KK+s1-T-1,2m-13x060	4005154	28,8	93,20	KK+s1-T-1,2m-19x060	4005165	19,2	188,73
KK+s1-T-1,2m-13x064	4008639	28,8	104,18	KK+s1-T-1,2m-19x064	4008642	15,6	204,66
KK+s1-T-1,2m-13x076	4005155	27,6	122,94	KK+s1-T-1,2m-19x076	4005166	16,8	208,30
KK+s1-T-1,2m-13x089	4005156	19,2	132,70	KK+s1-T-1,2m-19x089	4005167	14,4	222,77

25 mm Grubość				32 mm Grubość			
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m
KK+s1-T-1,2m-25x015	4012202	37,2	104,05	KK+s1-T-1,2m-32x015	4008655	21,6	152,86
KK+s1-T-1,2m-25x018	4008643	37,2	115,19	KK+s1-T-1,2m-32x018	4008656	21,6	157,41
KK+s1-T-1,2m-25x022	4008644	30,0	121,87	KK+s1-T-1,2m-32x022	4008657	21,6	167,40
KK+s1-T-1,2m-25x028	4008645	24,0	132,03	KK+s1-T-1,2m-32x028	4008658	19,2	171,62
KK+s1-T-1,2m-25x035	4008646	21,6	144,59	KK+s1-T-1,2m-32x035	4008659	16,8	212,59
KK+s1-T-1,2m-25x042	4008647	19,2	161,45	KK+s1-T-1,2m-32x042	4008660	14,4	220,37
KK+s1-T-1,2m-25x048	4008648	16,8	177,32	KK+s1-T-1,2m-32x048	4008661	13,2	235,66
KK+s1-T-1,2m-25x054	4008649	16,8	186,74	KK+s1-T-1,2m-32x054	4008662	12,0	241,69
KK+s1-T-1,2m-25x060	4008650	14,4	209,55	KK+s1-T-1,2m-32x060	4008663	10,8	269,54
KK+s1-T-1,2m-25x064	4008651	14,4	264,65	KK+s1-T-1,2m-32x064	4008664	10,8	338,27
				KK+s1-T-1,2m-32x070	4008665	9,6	374,21
KK+s1-T-1,2m-25x076	4008652	12,0	303,90	KK+s1-T-1,2m-32x076	4008666	7,2	393,56
KK+s1-T-1,2m-25x089	4008653	9,6	326,12	KK+s1-T-1,2m-32x089	4008667	7,2	421,40

Otulina szczelinowe dostępne na zamówienie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.


Kaiflex KKplus s1

Otulina · niepowlekana (technologia KaiCene)
 samoprzylepna · ze stycznym nacięciem wzdłużnym

Kolor: Antracyt · Długość: 1,2 m							
13 mm Grubość				19 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
KK+s1-T-1,2m-13x015-SA	4008683	108,0	58,25	KK+s1-T-1,2m-19x015-SA	4008694	62,4	100,31
KK+s1-T-1,2m-13x018-SA	4008684	88,8	63,12	KK+s1-T-1,2m-19x018-SA	4008695	50,4	102,46
KK+s1-T-1,2m-13x022-SA	4008685	72,3	65,77	KK+s1-T-1,2m-19x022-SA	4008696	49,2	116,67
KK+s1-T-1,2m-13x028-SA	4008686	58,8	71,48	KK+s1-T-1,2m-19x028-SA	4008697	39,6	125,67
KK+s1-T-1,2m-13x035-SA	4008687	50,4	79,82	KK+s1-T-1,2m-19x035-SA	4008698	30,0	136,75
KK+s1-T-1,2m-13x042-SA	4008688	36,0	96,67	KK+s1-T-1,2m-19x042-SA	4008699	27,6	159,47
KK+s1-T-1,2m-13x048-SA	4008689	38,4	102,62	KK+s1-T-1,2m-19x048-SA	4008700	24,0	162,93
KK+s1-T-1,2m-13x054-SA	4008690	36,0	112,79	KK+s1-T-1,2m-19x054-SA	4008701	19,2	216,82
KK+s1-T-1,2m-13x060-SA	4008691	28,8	128,07	KK+s1-T-1,2m-19x060-SA	4008702	19,2	241,76
KK+s1-T-1,2m-13x076-SA	4008692	27,6	159,87	KK+s1-T-1,2m-19x076-SA	4008703	16,8	266,96
KK+s1-T-1,2m-13x089-SA	4008693	19,2	182,27	KK+s1-T-1,2m-19x089-SA	4008704	14,4	285,47

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

Kaiflex KKplus s1

Mata · w rolce · powlekana (INCERAM-Cladding)

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	KK+s1-Sh-e-1m-40Bx-06	4008727	18	18	853,45
10	KK+s1-Sh-e-1m-40Bx-10	4008728	10	10	948,56

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
13	KK+s1-Sh-e-1m-53Bx-13	4008729	14	14	1.063,89
19	KK+s1-Sh-e-1m-53Bx-19	4008730	10	10	1.213,37
25	KK+s1-Sh-e-1m-53Bx-25	4008731	8	8	1.354,58
32	KK+s1-Sh-e-1m-53Bx-32	4008732	6	6	1.590,57

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

Kaiflex KKplus s1

Mata · w rolce · powlekana (INCERAM-Cladding) · samoprzylepna

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	KK+s1-Sh-e-1m-40Bx-06-SA	4008733	15	15	923,76
10	KK+s1-Sh-e-1m-40Bx-10-SA	4008734	10	10	1.018,87

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
13	KK+s1-Sh-e-1m-53Bx-13-SA	4008735	14	14	1.134,13
19	KK+s1-Sh-e-1m-53Bx-19-SA	4008736	10	10	1.283,67
25	KK+s1-Sh-e-1m-53Bx-25-SA	4008737	8	8	1.424,89
32	KK+s1-Sh-e-1m-53Bx-32-SA	4008738	6	6	1.660,86

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.



Kaiflex ST s2

Otulina

Kolor: Antracyt · Długość: 2 m							
6 mm Grubość				9 mm Grubość			
Wymiar / Odkośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odkośnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-06x006	4001188	600	5,98	STs2-T-2m-09x006	4001200	360	7,00
STs2-T-2m-06x008	4001189	500	6,21	STs2-T-2m-09x008	4001201	340	7,27
STs2-T-2m-06x010	4001190	430	6,35	STs2-T-2m-09x010	4001202	320	7,57
STs2-T-2m-06x012	4001191	350	6,61	STs2-T-2m-09x012	4014070	264	8,09
STs2-T-2m-06x015	4001192	300	7,38	STs2-T-2m-09x015	4014071	224	8,36
STs2-T-2m-06x018	4001193	280	7,98	STs2-T-2m-09x018	4014072	192	8,98
				STs2-T-2m-09x020	4001206	160	9,56
STs2-T-2m-06x022	4001195	216	8,40	STs2-T-2m-09x022	4001207	156	9,95
STs2-T-2m-06x028	4001197	150	9,88	STs2-T-2m-09x025	4001208	130	10,75
STs2-T-2m-06x035	4001199	120	11,30	STs2-T-2m-09x028	4001209	124	11,12
				STs2-T-2m-09x035	4001212	92	12,50
				STs2-T-2m-09x042	4001214	70	14,35
				STs2-T-2m-09x048	4001216	60	16,65
				STs2-T-2m-09x054	4001217	60	22,19
				STs2-T-2m-09x060	4001219	60	24,27
				STs2-T-2m-09x064	4001220	54	27,02
				STs2-T-2m-09x076	4001222	54	32,43
				STs2-T-2m-09x089	4001224	36	39,23
				STs2-T-2m-09x108	4001226	28	59,75
				STs2-T-2m-09x114	4001227	28	68,77
				STs2-T-2m-09x125	4001228	20	83,60
				STs2-T-2m-09x133	4001229	16	93,35
				STs2-T-2m-09x140	4001230	16	100,56
				STs2-T-2m-09x160	4001231	14	123,17

Kaiflex ST s2

Otulina

Kolor: Antracyt · Długość: 2 m

13 mm Grubość				19 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-13x006	4001232	240	9,36	STs2-T-2m-19x006	4014078	128	17,53
STs2-T-2m-13x010	4001234	190	10,69	STs2-T-2m-19x010	4014079	108	18,59
STs2-T-2m-13x012	4001235	172	11,30	STs2-T-2m-19x012	4001268	100	19,51
STs2-T-2m-13x015	4014073	144	12,73	STs2-T-2m-19x015	4014080	80	23,34
STs2-T-2m-13x018	4014074	128	13,42	STs2-T-2m-19x018	4014081	80	24,19
STs2-T-2m-13x020	4001238	120	14,24	STs2-T-2m-19x020	4001271	76	25,61
STs2-T-2m-13x022	4014075	108	14,81	STs2-T-2m-19x022	4014082	72	27,02
STs2-T-2m-13x025	4001240	92	15,47	STs2-T-2m-19x025	4001273	60	30,58
STs2-T-2m-13x028	4014076	84	15,68	STs2-T-2m-19x028	4014083	56	32,40
STs2-T-2m-13x035	4001244	76	19,17	STs2-T-2m-19x035	4001277	48	38,16
STs2-T-2m-13x042	4001246	56	22,05	STs2-T-2m-19x042	4001279	40	43,10
STs2-T-2m-13x048	4001248	48	26,05	STs2-T-2m-19x048	4014084	36	51,65
STs2-T-2m-13x054	4001249	46	31,79	STs2-T-2m-19x054	4001282	30	58,94
STs2-T-2m-13x060	4001251	40	34,96	STs2-T-2m-19x060	4001284	28	66,56
STs2-T-2m-13x064	4001252	40	36,02	STs2-T-2m-19x064	4001285	28	70,83
STs2-T-2m-13x070	4001254	40	43,76	STs2-T-2m-19x070	4001287	28	80,89
STs2-T-2m-13x076	4001255	34	43,94	STs2-T-2m-19x076	4001288	28	81,87
STs2-T-2m-13x080	4001256	30	49,86	STs2-T-2m-19x080	4001289	26	89,70
STs2-T-2m-13x089	4001257	30	52,42	STs2-T-2m-19x089	4001290	22	90,81
STs2-T-2m-13x108	4001259	28	73,57	STs2-T-2m-19x108	4001292	20	124,25
STs2-T-2m-13x114	4001260	28	82,06	STs2-T-2m-19x114	4001293	18	131,07
STs2-T-2m-13x125	4001261	20	104,12	STs2-T-2m-19x125	4001294	18	147,06
STs2-T-2m-13x133	4001262	18	105,93	STs2-T-2m-19x133	4001295	12	151,50
STs2-T-2m-13x140	4001263	18	107,14	STs2-T-2m-19x140	4001296	10	168,76
STs2-T-2m-13x160	4014077	20	130,51	STs2-T-2m-19x160	4001297	8	185,52
				STs2-T-2m-19x168	4001298	8	199,55



Kaiflex ST s2

Otulina

Kolor: Antracyt · Długość: 2 m

25 mm Grubość				32 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-25x010	4001300	72	33,18	STs2-T-2m-32x010	4001345	40	49,41
STs2-T-2m-25x012	4001301	60	37,10	STs2-T-2m-32x012	4001346	36	49,41
STs2-T-2m-25x015	4014085	56	39,15	STs2-T-2m-32x015	4001347	32	51,78
STs2-T-2m-25x018	4014086	48	40,58	STs2-T-2m-32x018	4001348	32	55,53
STs2-T-2m-25x020	4001304	50	42,80				
STs2-T-2m-25x022	4001305	42	44,76	STs2-T-2m-32x022	4001349	32	58,97
STs2-T-2m-25x025	4001306	40	47,83				
STs2-T-2m-25x028	4001307	40	49,51	STs2-T-2m-32x028	4001351	24	65,74
STs2-T-2m-25x035	4001309	32	55,18	STs2-T-2m-32x035	4001352	24	76,41
STs2-T-2m-25x042	4001311	24	68,14	STs2-T-2m-32x042	4001353	22	93,35
STs2-T-2m-25x048	4001312	24	79,68	STs2-T-2m-32x048	4001354	18	101,11
STs2-T-2m-25x054	4001313	22	90,04	STs2-T-2m-32x054	4001355	18	116,83
STs2-T-2m-25x060	4001314	22	97,75	STs2-T-2m-32x060	4001357	16	126,02
STs2-T-2m-25x064	4001315	18	103,04	STs2-T-2m-32x064	4001358	16	132,09
STs2-T-2m-25x070	4001317	18	109,33	STs2-T-2m-32x070	4001360	14	142,58
STs2-T-2m-25x076	4001318	18	115,67	STs2-T-2m-32x076	4001361	12	150,19
STs2-T-2m-25x080	4001319	14	121,27	STs2-T-2m-32x080	4001362	12	164,87
STs2-T-2m-25x089	4001320	14	128,30	STs2-T-2m-32x089	4014087	12	166,38
STs2-T-2m-25x108	4001322	10	164,25	STs2-T-2m-32x108	4001365	8	235,85
STs2-T-2m-25x114	4001323	10	178,61	STs2-T-2m-32x114	4001366	8	243,15
				STs2-T-2m-32x125	4001367	6	280,66
				STs2-T-2m-32x133	4001368	6	291,79
STs2-T-2m-25x140	4001325	6	265,34	STs2-T-2m-32x140	4001369	6	304,29
STs2-T-2m-25x160	4001326	6	312,19	STs2-T-2m-32x160	4001370	4	351,90
STs2-T-2m-25x168	4001327	6	320,06	STs2-T-2m-32x168	4001371	4	359,36

40 mm Grubość							
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m				
STs2-T-2m-40x022	4001373	22	167,34				
STs2-T-2m-40x028	4001375	16	174,11				
STs2-T-2m-40x035	4001376	16	182,48				
STs2-T-2m-40x042	4014088	12	190,32				
STs2-T-2m-40x048	4001378	12	200,18				
STs2-T-2m-40x054	4001379	10	209,15				
STs2-T-2m-40x060	4001380	10	246,14				
STs2-T-2m-40x064	4001381	10	291,85				
STs2-T-2m-40x076	4001382	10	299,40				
STs2-T-2m-40x089	4014089	8	304,77				
STs2-T-2m-40x114	4001387	6	348,61				
STs2-T-2m-40x125	4001388	6	373,14				
STs2-T-2m-40x140	4001389	6	465,18				
STs2-T-2m-40x160	4001390	4	557,83				
STs2-T-2m-40x168	4001391	4	593,04				

Kaiflex ST s2

Otulina · samoprzylepna · ze stycznym nacięciem wzdłużnym

Kolor: Antracyt · Długość: 2 m							
9 mm Grubość				13 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-09x015-SA	4014125	224	21,05	STs2-T-2m-13x015-SA	4014127	144	23,40
STs2-T-2m-09x018-SA	4014126	192	21,33	STs2-T-2m-13x018-SA	4014128	128	24,86
STs2-T-2m-09x022-SA	4001651	156	22,53	STs2-T-2m-13x022-SA	4014129	108	25,78
STs2-T-2m-09x028-SA	4001652	124	27,61	STs2-T-2m-13x028-SA	4014130	84	30,71
STs2-T-2m-09x035-SA	4001653	92	32,86	STs2-T-2m-13x035-SA	4001665	76	37,28
STs2-T-2m-09x042-SA	4001654	70	35,45	STs2-T-2m-13x042-SA	4001666	56	42,81
STs2-T-2m-09x048-SA	4001655	60	39,07	STs2-T-2m-13x048-SA	4001667	48	47,55
STs2-T-2m-09x054-SA	4001656	60	51,62	STs2-T-2m-13x054-SA	4001668	46	57,34
STs2-T-2m-09x060-SA	4001657	60	59,13	STs2-T-2m-13x060-SA	4001669	40	66,81
STs2-T-2m-09x064-SA	4001658	54	64,93	STs2-T-2m-13x064-SA	4001670	40	74,07
STs2-T-2m-09x076-SA	4001659	54	72,84	STs2-T-2m-13x076-SA	4001671	34	81,76
				STs2-T-2m-13x080-SA	4001672	30	89,55
STs2-T-2m-09x089-SA	4001660	36	95,77	STs2-T-2m-13x089-SA	4001673	30	100,45

19 mm Grubość				25 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
STs2-T-2m-19x015-SA	4014131	80	42,49	STs2-T-2m-25x015-SA	4014136	56	89,03
STs2-T-2m-19x018-SA	4014132	80	45,56				
STs2-T-2m-19x022-SA	4014133	72	51,16	STs2-T-2m-25x022-SA	4001688	42	93,84
STs2-T-2m-19x028-SA	4014134	56	58,62	STs2-T-2m-25x028-SA	4001689	40	103,82
STs2-T-2m-19x035-SA	4001678	48	71,72	STs2-T-2m-25x035-SA	4001690	32	115,71
STs2-T-2m-19x042-SA	4001679	40	86,24	STs2-T-2m-25x042-SA	4001691	24	142,92
STs2-T-2m-19x048-SA	4014135	36	96,84	STs2-T-2m-25x048-SA	4001692	24	167,11
STs2-T-2m-19x054-SA	4001681	30	105,55	STs2-T-2m-25x054-SA	4001693	22	188,81
STs2-T-2m-19x060-SA	4001682	28	119,47	STs2-T-2m-25x060-SA	4001694	22	204,96
STs2-T-2m-19x064-SA	4001683	28	136,04				
				STs2-T-2m-25x067-SA	4007422	18	242,58
STs2-T-2m-19x076-SA	4001685	28	151,49	STs2-T-2m-25x076-SA	4001695	18	269,07
STs2-T-2m-19x089-SA	4001686	22	166,79	STs2-T-2m-25x089-SA	4001696	14	227,79


Kaiflex ST s2

Otulina · w zwoju

Kolor: Antracyt							
6 mm Grubość				9 mm Grubość			
Wymiar / Odkośnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odkośnik	Nr kat.	m/ karton	zł/ m
STs2-T-e-06x006	4001500	50	6,91	STs2-T-e-09x006	4001508	40	8,05
STs2-T-e-06x008	4001501	48	7,11	STs2-T-e-09x008	4001509	37	8,38
STs2-T-e-06x010	4001502	46	7,34	STs2-T-e-09x010	4001510	34	8,72
STs2-T-e-06x012	4001503	40	7,62	STs2-T-e-09x012	4001511	31	9,28
STs2-T-e-06x015	4001504	38	8,49	STs2-T-e-09x015	4001512	27	9,60
STs2-T-e-06x018	4001505	30	9,19	STs2-T-e-09x018	4001513	23	10,32
				STs2-T-e-09x020	4006619	23	11,11
STs2-T-e-06x022	4001506	23	9,65	STs2-T-e-09x022	4001514	19	11,45
STs2-T-e-06x028	4001507	20	11,41	STs2-T-e-09x028	4001515	14	12,77
13 mm Grubość							
Wymiar / Odkośnik	Nr kat.	m/ karton	zł/ m				
STs2-T-e-13x006	4001516	26	10,74				
STs2-T-e-13x010	4001518	23	12,26				
STs2-T-e-13x012	4001519	18	13,03				
STs2-T-e-13x015	4001520	17	14,64				
STs2-T-e-13x018	4001521	15	15,46				
STs2-T-e-13x022	4001522	14	17,06				
STs2-T-e-13x028	4001523	10	18,03				

Kaiflex ST

Mata · w rolce

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	ST-Sh-e-1m-40BX-06	4012754	18	18	69,39
10	ST-Sh-e-1m-40BX-10	4001584	10	10	96,03
13	ST-Sh-e-1m-40BX-13	4001585	8	8	115,44
16	ST-Sh-e-1m-40BX-16	4012755	7	7	146,52
19	ST-Sh-e-1m-40BX-19	4001586	6	6	166,66
25	ST-Sh-e-1m-40BX-25	4012756	4	4	212,67
32	ST-Sh-e-1m-40BX-32	4001587	3	3	269,91

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	ST-Sh-e-1m-53BX-06	4001537	30	30	69,39
10	ST-Sh-e-1m-53BX-10	4001539	20	20	96,03
13	ST-Sh-e-1m-53BX-13	4001540	14	14	115,44
16	ST-Sh-e-1m-53BX-16	4001541	12	12	146,52
19	ST-Sh-e-1m-53BX-19	4001542	10	10	166,66
25	ST-Sh-e-1m-53BX-25	4001543	8	8	212,67
32	ST-Sh-e-1m-53BX-32	4001544	6	6	269,91
40	ST-Sh-e-1m-53BX-40	4012596	5,5	5,5	381,01
50	ST-Sh-e-1m-53BX-50	4012226	4	4	462,26

Kaiflex ST

Mata · w rolce · samoprzylepna

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	ST-Sh-e-1m-40BX-06-SA	4012757	18	18	114,76
10	ST-Sh-e-1m-40BX-10-SA	4001588	10	10	138,60
13	ST-Sh-e-1m-40BX-13-SA	4001589	8	8	160,97
16	ST-Sh-e-1m-40BX-16-SA	4012758	7	7	191,04
19	ST-Sh-e-1m-40BX-19-SA	4001590	6	6	216,69
25	ST-Sh-e-1m-40BX-25-SA	4012759	4	4	260,40
32	ST-Sh-e-1m-40BX-32-SA	4012760	3	3	309,88

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	ST-Sh-e-1m-53BX-06-SA	4001563	30	30	114,76
10	ST-Sh-e-1m-53BX-10-SA	4001564	20	20	138,60
13	ST-Sh-e-1m-53BX-13-SA	4001565	14	14	160,97
16	ST-Sh-e-1m-53BX-16-SA	4001566	12	12	191,04
19	ST-Sh-e-1m-53BX-19-SA	4001567	10	10	216,69
25	ST-Sh-e-1m-53BX-25-SA	4001568	8	8	260,40
32	ST-Sh-e-1m-53BX-32-SA	4001569	6	6	309,88
40	ST-Sh-e-1m-53BX-40-SA	4012597	5,5	5,5	437,01
50	ST-Sh-e-1m-53BX-50-SA	4012594	4	4	539,99

Kaiflex Duct

Mata · w rolce · samoprzylepna

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC-Sh-e-1m-40BX-06-SA	4012764	18	18	79,33
10	DC-Sh-e-1m-40BX-10-SA	4012766	10	10	107,87
12	DC-Sh-e-1m-40BX-12-SA	4012767	8	8	127,61
15	DC-Sh-e-1m-40BX-15-SA	4012768	7	7	146,80
20	DC-Sh-e-1m-40BX-20-SA	4012769	6	6	179,00
25	DC-Sh-e-1m-40BX-25-SA	4012770	4	4	206,21
30	DC-Sh-e-1m-40BX-30-SA	4012771	3	3	242,79

Kaiflex Duct plus

Mata · w rolce · samoprzylepna

Kolor: Antracyt · Szerokość: 1,5 m · Ø średnica rolki: 60 cm · w worku

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC+-Sh-e-1,5m-60BG-06-SA	4010630	30	45,0	100,45
10	DC+-Sh-e-1,5m-60BG-10-SA	4010632	20	30,0	136,52
12	DC+-Sh-e-1,5m-60BG-12-SA	4010633	15	22,5	156,97
20	DC+-Sh-e-1,5m-60BG-20-SA	4010635	10	15,0	214,79
30	DC+-Sh-e-1,5m-60BG-30-SA	4010637	6	9,0	297,40

Kaiflex Duct ALU plus

Mata · w rolce · powlekana (ALU) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC-A+-Sh-e-1m-40BX-06-SA	4013751	18	18	131,45
10	DC-A+-Sh-e-1m-40BX-10-SA	4013755	10	10	162,85
12	DC-A+-Sh-e-1m-40BX-12-SA	4013757	8	8	187,50
15	DC-A+-Sh-e-1m-40BX-15-SA	4013760	7	7	201,12
20	DC-A+-Sh-e-1m-40BX-20-SA	4013761	6	6	235,41
25	DC-A+-Sh-e-1m-40BX-25-SA	4013762	4	4	259,29
30	DC-A+-Sh-e-1m-40BX-30-SA	4013763	3	3	291,33

Kolor: Antracyt/Srebrzysty · Szerokość: 1,5 m · Ø średnica rolki: 60 cm · w worku

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	DC-A+-Sh-e-1,5m-60BG-06-SA	4014154	30	45,0	144,58
10	DC-A+-Sh-e-1,5m-60BG-10-SA	4014155	20	30,0	175,06
12	DC-A+-Sh-e-1,5m-60BG-12-SA	4014156	15	22,5	201,57
20	DC-A+-Sh-e-1,5m-60BG-20-SA	4014158	10	15,0	247,18
30	DC-A+-Sh-e-1,5m-60BG-30-SA	4014160	6	9,0	305,91

Kaiflex EPDMplus

Otulina

Kolor: Czarny · Długość: 2 m

10 mm Grubość				13 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
EPDM+-T-2m-10x010	4003230	220	28,77	EPDM+-T-2m-13x010	4003245	152	34,21
EPDM+-T-2m-10x012	4003231	190	30,33	EPDM+-T-2m-13x012	4003246	136	36,13
EPDM+-T-2m-10x015	4003232	172	31,18	EPDM+-T-2m-13x015	4003247	120	40,80
EPDM+-T-2m-10x018	4003233	136	33,57	EPDM+-T-2m-13x018	4003248	106	44,29
EPDM+-T-2m-10x022	4003234	112	37,26	EPDM+-T-2m-13x022	4003249	84	48,35
EPDM+-T-2m-10x028	4003235	84	41,91	EPDM+-T-2m-13x028	4003250	72	52,18
EPDM+-T-2m-10x035	4003237	60	47,07	EPDM+-T-2m-13x035	4003251	50	63,45
EPDM+-T-2m-10x042	4003238	50	54,03	EPDM+-T-2m-13x042	4003252	40	70,84
EPDM+-T-2m-10x048	4003239	40	62,67	EPDM+-T-2m-13x048	4003253	36	85,35
EPDM+-T-2m-10x054	4003240	36	73,39	EPDM+-T-2m-13x054	4003254	32	102,59
EPDM+-T-2m-10x060	4003242	32	91,43	EPDM+-T-2m-13x060	4003256	24	112,33
EPDM+-T-2m-10x076	4003243	20	118,97	EPDM+-T-2m-13x076	4003257	18	150,49
EPDM+-T-2m-10x089	4003244	18	132,25	EPDM+-T-2m-13x089	4003258	16	168,26

19 mm Grubość				25 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
EPDM+-T-2m-19x012	4003259	78	62,80	EPDM+-T-2m-25x012	4003273	50	104,04
EPDM+-T-2m-19x015	4003260	72	75,72	EPDM+-T-2m-25x015	4003274	50	115,76
EPDM+-T-2m-19x018	4003261	60	77,97	EPDM+-T-2m-25x018	4003275	40	117,67
EPDM+-T-2m-19x022	4003262	56	89,08	EPDM+-T-2m-25x022	4003276	36	128,27
EPDM+-T-2m-19x028	4003263	40	106,29	EPDM+-T-2m-25x028	4003277	32	146,42
EPDM+-T-2m-19x035	4003264	36	123,11	EPDM+-T-2m-25x035	4003278	24	165,07
EPDM+-T-2m-19x042	4003265	32	138,91	EPDM+-T-2m-25x042	4003279	22	181,10
EPDM+-T-2m-19x048	4003266	24	169,40	EPDM+-T-2m-25x048	4003280	18	210,06
EPDM+-T-2m-19x054	4003267	22	191,48	EPDM+-T-2m-25x054	4003281	18	232,69
EPDM+-T-2m-19x060	4003269	18	214,17	EPDM+-T-2m-25x060	4003283	16	256,40
EPDM+-T-2m-19x076	4003270	16	263,94	EPDM+-T-2m-25x076	4003285	12	305,75
EPDM+-T-2m-19x089	4003271	12	291,42	EPDM+-T-2m-25x089	4003287	12	331,97

32 mm Grubość							
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m				
EPDM+-T-2m-32x012	4003289	32	140,48				
EPDM+-T-2m-32x015	4003290	32	156,24				
EPDM+-T-2m-32x018	4003291	24	158,86				
EPDM+-T-2m-32x022	4003292	24	173,08				
EPDM+-T-2m-32x028	4003293	22	197,67				
EPDM+-T-2m-32x035	4003294	18	222,88				
EPDM+-T-2m-32x042	4003295	18	244,53				
EPDM+-T-2m-32x048	4003296	14	283,50				
EPDM+-T-2m-32x054	4003297	12	314,10				
EPDM+-T-2m-32x060	4003299	12	346,12				
EPDM+-T-2m-32x076	4003301	8	412,78				
EPDM+-T-2m-32x089	4003302	8	448,15				

Otulina szczelinowe dostępne na zamówienie.


Kaiflex EPDMplus

Mata · w rolce

Kolor: Czarny · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	EPDM+-Sh-e-1m-40BX-06	4003333	18	18	277,93
10	EPDM+-Sh-e-1m-40BX-10	4003334	10	10	423,01
13	EPDM+-Sh-e-1m-40BX-13	4003336	8	8	511,47
19	EPDM+-Sh-e-1m-40BX-19	4003338	6	6	681,07
25	EPDM+-Sh-e-1m-40BX-25	4003340	4	4	825,55
32	EPDM+-Sh-e-1m-40BX-32	4003341	3	3	990,63

Kaiflex HFplus s2

Otulina

Kolor: Antracyt · Długość: 1,2 m

9 mm Grubość				13 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
HF+s2-T-1,2m-09x010	4014182	204,0	15,63	HF+s2-T-1,2m-13x010	4000820	134,4	21,45
HF+s2-T-1,2m-09x012	4014180	144,0	16,64	HF+s2-T-1,2m-13x012	4000821	120,0	22,80
HF+s2-T-1,2m-09x015	4000809	158,4	17,22	HF+s2-T-1,2m-13x015	4014181	96,0	25,60
HF+s2-T-1,2m-09x018	4000810	144,0	18,40	HF+s2-T-1,2m-13x018	4000823	88,8	27,72
HF+s2-T-1,2m-09x022	4014062	105,6	20,61	HF+s2-T-1,2m-13x022	4014064	72,0	30,17
HF+s2-T-1,2m-09x028	4014063	86,4	23,15	HF+s2-T-1,2m-13x028	4000825	57,6	32,72
HF+s2-T-1,2m-09x035	4000813	69,6	25,89	HF+s2-T-1,2m-13x035	4014065	43,2	39,56
HF+s2-T-1,2m-09x042	4000814	57,6	29,57	HF+s2-T-1,2m-13x042	4014066	36,0	44,34
HF+s2-T-1,2m-09x048	4000815	50,4	34,32	HF+s2-T-1,2m-13x048	4000828	38,4	53,32
				HF+s2-T-1,2m-13x054	4000829	28,8	64,04
				HF+s2-T-1,2m-13x060	4000830	28,8	70,39
				HF+s2-T-1,2m-13x076	4000831	25,2	88,52
				HF+s2-T-1,2m-13x089	4000832	16,8	105,49

19 mm Grubość				25 mm Grubość			
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m	Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m
HF+s2-T-1,2m-19x010	4000833	72,0	36,66				
HF+s2-T-1,2m-19x012	4000834	72,0	38,75				
HF+s2-T-1,2m-19x015	4014067	62,4	46,72	HF+s2-T-1,2m-25x015	4000846	39,6	99,17
HF+s2-T-1,2m-19x018	4000836	50,4	48,17	HF+s2-T-1,2m-25x018	4000847	36,0	101,29
HF+s2-T-1,2m-19x022	4014068	43,2	54,81	HF+s2-T-1,2m-25x022	4000848	30,0	109,98
HF+s2-T-1,2m-19x028	4000838	39,6	65,57	HF+s2-T-1,2m-25x028	4014069	21,6	127,95
HF+s2-T-1,2m-19x035	4000839	30,0	75,96	HF+s2-T-1,2m-25x035	4000850	24,0	151,01
HF+s2-T-1,2m-19x042	4000840	26,4	85,79	HF+s2-T-1,2m-25x042	4000851	19,2	170,02
HF+s2-T-1,2m-19x048	4000841	22,8	104,69	HF+s2-T-1,2m-25x048	4000852	16,8	197,02
HF+s2-T-1,2m-19x054	4000842	21,6	118,26	HF+s2-T-1,2m-25x054	4000853	14,4	222,97
HF+s2-T-1,2m-19x060	4000843	19,2	132,38	HF+s2-T-1,2m-25x060	4000854	14,4	230,71
HF+s2-T-1,2m-19x076	4000844	14,4	165,13	HF+s2-T-1,2m-25x076	4000855	12,0	281,12
HF+s2-T-1,2m-19x089	4000845	12,0	180,70	HF+s2-T-1,2m-25x089	4000856	9,6	295,57

32 mm Grubość							
Wymiar / Odnosnik	Nr kat.	m/ karton	zł/ m				
HF+s2-T-1,2m-32x015	4000857	21,6	133,31				
HF+s2-T-1,2m-32x018	4000858	21,6	136,11				
HF+s2-T-1,2m-32x022	4000859	21,6	147,84				
HF+s2-T-1,2m-32x028	4000860	19,2	172,01				
HF+s2-T-1,2m-32x035	4000861	18,0	197,88				
HF+s2-T-1,2m-32x042	4000862	14,4	225,08				
HF+s2-T-1,2m-32x048	4000863	13,2	269,10				
HF+s2-T-1,2m-32x054	4000864	10,8	273,36				
HF+s2-T-1,2m-32x060	4000865	10,8	317,36				
HF+s2-T-1,2m-32x076	4000866	8,4	383,99				
HF+s2-T-1,2m-32x089	4000867	7,2	403,74				

Otulina szczelinowe dostępne na zamówienie.



Kaiflex HFplus s2

Mata · w rolce

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	HF+s2-Sh-e-1m-40BX-06	4013734	18	18	188,87
10	HF+s2-Sh-e-1m-40BX-10	4013736	10	10	234,33
13	HF+s2-Sh-e-1m-40BX-13	4008750	8	8	277,78
19	HF+s2-Sh-e-1m-40BX-19	4008751	6	6	429,34
25	HF+s2-Sh-e-1m-40BX-25	4008752	4	4	529,15
32	HF+s2-Sh-e-1m-40BX-32	4013739	3	3	583,96

Kaiflex HFplus s2

Mata · w rolce · samoprzylepna

Kolor: Antracyt · Szerokość: 1 m · Ø średnica rolki: 40 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	HF+s2-Sh-e-1m-40BX-06-SA	4013735	18	18	237,73
10	HF+s2-Sh-e-1m-40BX-10-SA	4013737	10	10	283,49
13	HF+s2-Sh-e-1m-40BX-13-SA	4013738	8	8	340,52
19	HF+s2-Sh-e-1m-40BX-19-SA	4008753	6	6	475,26
25	HF+s2-Sh-e-1m-40BX-25-SA	4008754	4	4	573,63
32	HF+s2-Sh-e-1m-40BX-32-SA	4013740	3	3	628,60

Kaiflex SL

Mata · Płyta · powlekana (ciężka guma)

Kolor: Antracyt · Długość: 2 m · Szerokość: 1 m · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m ² / karton	zł/ m ²
10	SL-Sh-c-2x1m-BX-10	4013948	1	2	158,05

Kaiflex SL

Mata · Płyta · powlekana (ciężka guma) · samoprzylepna

Kolor: Antracyt · Długość: 2 m · Szerokość: 1 m · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m ² / karton	zł/ m ²
10	SL-Sh-c-2x1m-BX-10-SA	4014241	1	2	175,34



Kaivenience AB

Mata · Płyta · powlekana (ciężka guma)

Kolor: Antracyt · Długość: 1,18 m · Szerokość: 0,83 m · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m²/ karton	zł/ m²
5	KV-AB-Sh-c-BX-05	4013002	3	3	211,64
10	KV-AB-Sh-c-BX-10	4013000	2	2	222,78

Kaivenience AB-ALU

Mata · Płyta · powlekana (ciężka guma oraz warstwa aluminium)

Kolor: Antracyt/Srebrzysty · Długość: 1,18 m · Szerokość: 0,83 m · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m²/ karton	zł/ m²
5	KV-AB-A-Sh-c-BX-05	4013012	3	3	234,58
10	KV-AB-A-Sh-c-BX-10	4013010	2	2	246,93

Kaisound 240

Mata · Płyta

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m²/ karton	zł/ m²
6	KS240-Sh-c-BX-06	4010596	16	16	236,77
10	KS240-Sh-c-BX-10	4010597	10	10	390,39
15	KS240-Sh-c-BX-15	4010598	6	6	591,63
20	KS240-Sh-c-BX-20	4010599	5	5	769,05
25	KS240-Sh-c-BX-25	4010600	4	4	946,48
50	KS240-Sh-c-BX-50	4010601	2	2	1.892,97

Kaisound 240

Mata · Płyta · samoprzylepna

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m²/ karton	zł/ m²
6	KS240-Sh-c-BX-06-SA	4010608	16	16	319,67
10	KS240-Sh-c-BX-10-SA	4010609	10	10	473,29
15	KS240-Sh-c-BX-15-SA	4010610	6	6	674,52
20	KS240-Sh-c-BX-20-SA	4010611	5	5	851,96
25	KS240-Sh-c-BX-25-SA	4010612	4	4	1.029,38
50	KS240-Sh-c-BX-50-SA	4010613	2	2	1.975,85

Kaisound 140

Mata · Płyta

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m²/ karton	zł/ m²
6	KS140-Sh-c-BX-06	4010584	16	16	177,43
10	KS140-Sh-c-BX-10	4010585	10	10	292,77
15	KS140-Sh-c-BX-15	4010586	6	6	443,57
20	KS140-Sh-c-BX-20	4010587	5	5	576,91
25	KS140-Sh-c-BX-25	4010588	4	4	709,89
50	KS140-Sh-c-BX-50	4010589	2	2	1.419,78

Kaisound 140

Mata · Płyta · samoprzylepna

Kolor: Antracyt · Długość: 1,2 m · Szerokość: 0,84 m · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	Szt./ karton	m²/ karton	zł/ m²
6	KS140-Sh-c-BX-06-SA	4010620	16	16	260,41
10	KS140-Sh-c-BX-10-SA	4010375	10	10	375,66
15	KS140-Sh-c-BX-15-SA	4010621	6	6	526,46
20	KS140-Sh-c-BX-20-SA	4010376	5	5	659,79
25	KS140-Sh-c-BX-25-SA	4010622	4	4	792,78
50	KS140-Sh-c-BX-50-SA	4010623	2	2	1.502,65


Kaiflex Protect Alu-TEC

Otulina · powlekana (Alu-TEC) · samoprzylepna · z zakładką samoprzylepną

Kolor: Antracyt/Srebrzysty · Długość: 1 m

13 mm Grubość					19 mm Grubość				
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m		Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	
PR-AT-T-1m-13x015-SA-O	4000739	72	86,42		PR-AT-T-1m-19x015-SA-O	4000754	40	98,81	
PR-AT-T-1m-13x018-SA-O	4000740	64	88,27		PR-AT-T-1m-19x018-SA-O	4007389	40	101,21	
PR-AT-T-1m-13x022-SA-O	4000741	54	91,23		PR-AT-T-1m-19x022-SA-O	4000755	36	104,23	
PR-AT-T-1m-13x028-SA-O	4000742	42	95,28		PR-AT-T-1m-19x028-SA-O	4000757	28	114,95	
PR-AT-T-1m-13x035-SA-O	4000743	38	104,65		PR-AT-T-1m-19x035-SA-O	4000758	24	121,72	
PR-AT-T-1m-13x042-SA-O	4000744	28	110,60		PR-AT-T-1m-19x042-SA-O	4000759	20	127,67	
PR-AT-T-1m-13x048-SA-O	4000745	24	119,20		PR-AT-T-1m-19x048-SA-O	4000760	18	137,67	
PR-AT-T-1m-13x054-SA-O	4000746	23	124,17		PR-AT-T-1m-19x054-SA-O	4000761	15	142,85	
PR-AT-T-1m-13x060-SA-O	4000748	20	127,67		PR-AT-T-1m-19x060-SA-O	4000762	14	147,95	
PR-AT-T-1m-13x064-SA-O	4000749	20	139,07		PR-AT-T-1m-19x064-SA-O	4000763	14	161,55	
PR-AT-T-1m-13x070-SA-O	4005601	20	147,88		PR-AT-T-1m-19x070-SA-O	4000764	14	161,96	
PR-AT-T-1m-13x076-SA-O	4000750	17	154,17		PR-AT-T-1m-19x076-SA-O	4000765	14	171,73	
PR-AT-T-1m-13x080-SA-O	4005602	15	157,96		PR-AT-T-1m-19x080-SA-O	4000766	13	176,10	
PR-AT-T-1m-13x089-SA-O	4000751	15	163,35		PR-AT-T-1m-19x089-SA-O	4000767	11	184,85	
• PR-AT-T-1m-13x108-SL	4006531	14	208,02		• PR-AT-T-1m-19x108-SL	4005605	10	211,32	
• PR-AT-T-1m-13x114-SL	4000752	14	211,52		• PR-AT-T-1m-19x114-SL	4000768	9	234,04	
• PR-AT-T-1m-13x125-SL	4000753	10	186,44		• PR-AT-T-1m-19x125-SL	4005606	9	351,36	
• PR-AT-T-1m-13x140-SL	4006532	9	323,30		• PR-AT-T-1m-19x140-SL	4007391	5	368,00	
• PR-AT-T-1m-13x160-SL	4007388	10	401,35		• PR-AT-T-1m-19x160-SL	4005607	4	448,67	

25 mm Grubość									
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m						
PR-AT-T-1m-25x015-SA-O	4000769	28	107,25						
PR-AT-T-1m-25x018-SA-O	4007392	24	124,31						
PR-AT-T-1m-25x022-SA-O	4000770	21	127,52						
PR-AT-T-1m-25x028-SA-O	4000771	20	133,83						
PR-AT-T-1m-25x035-SA-O	4000772	16	141,53						
PR-AT-T-1m-25x042-SA-O	4000773	12	146,42						
PR-AT-T-1m-25x048-SA-O	4000774	12	165,01						
PR-AT-T-1m-25x054-SA-O	4000775	11	188,77						
PR-AT-T-1m-25x060-SA-O	4000776	11	200,19						
PR-AT-T-1m-25x064-SA-O	4007393	9	218,80						
PR-AT-T-1m-25x070-SA-O	4000777	9	222,80						
PR-AT-T-1m-25x076-SA-O	4000778	9	226,72						
PR-AT-T-1m-25x089-SA-O	4000779	7	246,01						
• PR-AT-T-1m-25x108-SL	4005608	5	280,93						
• PR-AT-T-1m-25x114-SL	4007394	5	291,76						
• PR-AT-T-1m-25x140-SL	4007395	3	459,29						

• Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

Kaiflex Protect Alu-TEC

Mata · w rolce · powlekana (Alu-TEC)

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
10	PR-AT-Sh-e-1m-53BX-10	4000794	20	20	193,44
13	PR-AT-Sh-e-1m-53BX-13	4000795	14	14	206,50
19	PR-AT-Sh-e-1m-53BX-19	4000796	10	10	242,11
25	PR-AT-Sh-e-1m-53BX-25	4000797	8	8	276,55
32	PR-AT-Sh-e-1m-53BX-32	4000798	6	6	337,03

Kaiflex Protect Alu-TEC

Mata · w rolce · powlekana (Alu-TEC) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
10	PR-AT-Sh-e-1m-53BX-10-SA	4002761	20	20	231,94
13	PR-AT-Sh-e-1m-53BX-13-SA	4002762	14	14	245,09
19	PR-AT-Sh-e-1m-53BX-19-SA	4002763	10	10	281,07
25	PR-AT-Sh-e-1m-53BX-25-SA	4002764	8	8	315,87
32	PR-AT-Sh-e-1m-53BX-32-SA	4002765	6	6	376,98

Kaiflex Protect Alu-TEC

Mata · Płyta · powlekana (Alu-TEC)

Kolor: Antracyt/Srebrzysty · Długość: 2,0 m · Szerokość: 1,0 m · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
40	PR-AT-Sh-c-2x1m-BX-40	4014430	8	20	504,78
50	PR-AT-Sh-c-2x1m-BX-50	4014432	6	14	588,38

Kaiflex Protect Alu-TEC

Mata · Płyta · powlekana (Alu-TEC) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Długość: 2,0 m · Szerokość: 1,0 m · w kartonie					
Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
40	PR-AT-Sh-c-2x1m-BX-40-SA	4014431	8	20	612,14
50	PR-AT-Sh-c-2x1m-BX-50-SA	4009174	6	14	687,09


Kaiflex Protect F-BLACK

Otulina · powlekana (F-BLACK) · samoprzylepna · z zakładką samoprzylepną

Kolor: Antracyt/Czarny · Długość: 1 m

13 mm Grubość					19 mm Grubość				
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m		Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	
PR-FB-T-1m-13x015-SA-O	4007513	72	83,02		PR-FB-T-1m-19x015-SA-O	4006671	40	94,93	
PR-FB-T-1m-13x018-SA-O	4007514	64	84,78		PR-FB-T-1m-19x018-SA-O	4007529	40	97,20	
PR-FB-T-1m-13x022-SA-O	4006669	54	87,63		PR-FB-T-1m-19x022-SA-O	4001834	36	100,10	
PR-FB-T-1m-13x028-SA-O	4001828	42	91,51		PR-FB-T-1m-19x028-SA-O	4001835	28	110,41	
PR-FB-T-1m-13x035-SA-O	4001829	38	100,50		PR-FB-T-1m-19x035-SA-O	4001836	24	116,91	
PR-FB-T-1m-13x042-SA-O	4007517	28	106,25		PR-FB-T-1m-19x042-SA-O	4001837	20	122,66	
PR-FB-T-1m-13x048-SA-O	4001830	24	114,48		PR-FB-T-1m-19x048-SA-O	4005767	18	132,24	
PR-FB-T-1m-13x054-SA-O	4006670	23	119,26		PR-FB-T-1m-19x054-SA-O	4001838	15	137,20	
PR-FB-T-1m-13x060-SA-O	4001831	20	122,66		PR-FB-T-1m-19x060-SA-O	4006672	14	142,10	
PR-FB-T-1m-13x064-SA-O	4007520	20	133,57		PR-FB-T-1m-19x064-SA-O	4007532	14	155,19	
PR-FB-T-1m-13x070-SA-O	4005766	20	142,04		PR-FB-T-1m-19x070-SA-O	4007533	14	160,60	
PR-FB-T-1m-13x076-SA-O	4007521	17	148,09		PR-FB-T-1m-19x076-SA-O	4007534	14	164,93	
PR-FB-T-1m-13x080-SA-O	4007522	15	151,72		PR-FB-T-1m-19x080-SA-O	4007535	13	170,07	
PR-FB-T-1m-13x089-SA-O	4001832	15	156,90		PR-FB-T-1m-19x089-SA-O	4007536	11	177,54	
• PR-FB-T-1m-13x108-SL	4007524	14	199,80		• PR-FB-T-1m-19x108-SL	4007537	10	212,74	
• PR-FB-T-1m-13x114-SL	4007525	14	248,81		• PR-FB-T-1m-19x114-SL	4007538	9	224,80	
• PR-FB-T-1m-13x125-SL	4007526	10	297,70		• PR-FB-T-1m-19x125-SL	4007539	9	337,47	
• PR-FB-T-1m-13x140-SL	4001833	9	310,54		• PR-FB-T-1m-19x140-SL	4007541	5	394,98	
• PR-FB-T-1m-13x160-SL	4007528	10	382,55		• PR-FB-T-1m-19x160-SL	4007542	4	461,39	

25 mm Grubość									
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m						
PR-FB-T-1m-25x018-SA-O	4007543	24	119,38						
PR-FB-T-1m-25x022-SA-O	4007544	21	122,46						
PR-FB-T-1m-25x028-SA-O	4001839	20	128,55						
PR-FB-T-1m-25x035-SA-O	4007545	16	135,95						
PR-FB-T-1m-25x042-SA-O	4005768	12	140,62						
PR-FB-T-1m-25x048-SA-O	4006674	12	158,50						
PR-FB-T-1m-25x054-SA-O	4001840	11	181,34						
PR-FB-T-1m-25x060-SA-O	4001841	11	192,28						
PR-FB-T-1m-25x064-SA-O	4007546	9	210,14						
PR-FB-T-1m-25x070-SA-O	4007547	9	214,00						
PR-FB-T-1m-25x076-SA-O	4001842	9	217,76						
PR-FB-T-1m-25x089-SA-O	4001843	7	236,27						
• PR-FB-T-1m-25x108-SL	4007548	5	269,84						
• PR-FB-T-1m-25x114-SL	4007549	5	280,25						
• PR-FB-T-1m-25x140-SL	4007550	3	441,14						

• Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

Kaiflex Protect F-BLACK

Mata · w rolce · powlekana (F-BLACK)

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
10	PR-FB-Sh-e-1m-53BX-10	4001844	20	20	185,81
13	PR-FB-Sh-e-1m-53BX-13	4001846	14	14	198,35
19	PR-FB-Sh-e-1m-53BX-19	4001848	10	10	232,54
25	PR-FB-Sh-e-1m-53BX-25	4001850	8	8	265,62
32	PR-FB-Sh-e-1m-53BX-32	4001852	6	6	323,70

Kaiflex Protect F-BLACK

Mata · w rolce · powlekana (F-BLACK) · samoprzylepna

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
10	PR-FB-Sh-e-1m-53BX-10-SA	4014149	20	20	228,84
13	PR-FB-Sh-e-1m-53BX-13-SA	4014150	14	14	242,02
19	PR-FB-Sh-e-1m-53BX-19-SA	4014151	10	10	256,19
25	PR-FB-Sh-e-1m-53BX-25-SA	4014152	8	8	314,55
32	PR-FB-Sh-e-1m-53BX-32-SA	4014153	6	6	330,12


Kaiflex Protect Alu-NET

Otulina · powlekana (Alu-NET) · samoprzylepna · z zakładką samoprzylepną

Kolor: Antracyt/Srebrzysty · Długość: 1 m

13 mm Grubość					19 mm Grubość				
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m		Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m	
PR-AN-T-1m-13x015-SA-O	4006730	72	73,47		PR-AN-T-1m-19x015-SA-O	4007687	40	83,99	
PR-AN-T-1m-13x018-SA-O	4006731	64	75,04		PR-AN-T-1m-19x018-SA-O	4002719	40	86,01	
PR-AN-T-1m-13x022-SA-O	4002709	54	77,54		PR-AN-T-1m-19x022-SA-O	4002720	36	88,59	
PR-AN-T-1m-13x028-SA-O	4002710	42	81,00		PR-AN-T-1m-19x028-SA-O	4002722	28	97,69	
PR-AN-T-1m-13x035-SA-O	4002711	38	88,96		PR-AN-T-1m-19x035-SA-O	4002723	24	103,45	
PR-AN-T-1m-13x042-SA-O	4002712	28	94,03		PR-AN-T-1m-19x042-SA-O	4002724	20	108,54	
PR-AN-T-1m-13x048-SA-O	4002713	24	101,32		PR-AN-T-1m-19x048-SA-O	4002725	18	117,01	
PR-AN-T-1m-13x054-SA-O	4005842	23	107,15		PR-AN-T-1m-19x054-SA-O	4002726	15	121,40	
PR-AN-T-1m-13x060-SA-O	4002715	20	108,54		PR-AN-T-1m-19x060-SA-O	4002727	14	125,77	
PR-AN-T-1m-13x064-SA-O	4006733	20	118,21		PR-AN-T-1m-19x064-SA-O	4002728	14	137,33	
PR-AN-T-1m-13x070-SA-O	4007679	20	125,71		PR-AN-T-1m-19x070-SA-O	4005843	14	142,95	
PR-AN-T-1m-13x076-SA-O	4002716	17	131,06		PR-AN-T-1m-19x076-SA-O	4002729	14	145,95	
PR-AN-T-1m-13x080-SA-O	4007680	15	145,07		PR-AN-T-1m-19x080-SA-O	4007689	13	151,72	
PR-AN-T-1m-13x089-SA-O	4002717	15	138,84		PR-AN-T-1m-19x089-SA-O	4002730	11	157,13	
• PR-AN-T-1m-13x108-SL	4007682	14	176,81		• PR-AN-T-1m-19x108-SL	4002731	10	188,26	
• PR-AN-T-1m-13x114-SL	4002718	14	179,80		• PR-AN-T-1m-19x114-SL	4007691	9	198,93	
• PR-AN-T-1m-13x125-SL	4007683	10	263,47		• PR-AN-T-1m-19x125-SL	4007692	9	223,34	
• PR-AN-T-1m-13x140-SL	4007685	9	274,82		• PR-AN-T-1m-19x140-SL	4007693	5	250,15	
• PR-AN-T-1m-13x160-SL	4007686	10	341,15		• PR-AN-T-1m-19x160-SL	4002733	4	381,36	

25 mm Grubość									
Wymiar / Odnośnik	Nr kat.	m/ karton	zł/ m						
PR-AN-T-1m-25x018-SA-O	4002734	24	105,66						
PR-AN-T-1m-25x022-SA-O	4002735	21	108,37						
PR-AN-T-1m-25x028-SA-O	4002736	20	113,76						
PR-AN-T-1m-25x035-SA-O	4002737	16	120,31						
PR-AN-T-1m-25x042-SA-O	4002738	12	124,45						
PR-AN-T-1m-25x048-SA-O	4002739	12	140,26						
PR-AN-T-1m-25x054-SA-O	4002740	11	160,46						
PR-AN-T-1m-25x060-SA-O	4002741	11	170,17						
PR-AN-T-1m-25x064-SA-O	4007694	9	178,62						
PR-AN-T-1m-25x070-SA-O	4007695	9	186,48						
PR-AN-T-1m-25x076-SA-O	4002742	9	192,70						
PR-AN-T-1m-25x089-SA-O	4002743	7	209,08						
• PR-AN-T-1m-25x108-SL	4005844	5	238,81						
• PR-AN-T-1m-25x114-SL	4007696	5	253,05						
• PR-AN-T-1m-25x140-SL	4007697	3	310,70						

• Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

Kaiflex Protect Alu-NET

Mata · w rolce · powlekana (Alu-NET)

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m ² / karton	zł/ m ²
10	PR-AN-Sh-e-1m-53BX-10	4002744	20	20	131,40
13	PR-AN-Sh-e-1m-53BX-13	4002745	14	14	149,25
19	PR-AN-Sh-e-1m-53BX-19	4002746	10	10	196,24
25	PR-AN-Sh-e-1m-53BX-25	4002747	8	8	222,43
32	PR-AN-Sh-e-1m-53BX-32	4002748	6	6	281,09

Kaiflex Protect Alu-NET

Mata · w rolce · powlekana (Alu-NET) · samoprzylepna

Kolor: Antracyt/Srebrzysty · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m ² / karton	zł/ m ²
10	PR-AN-Sh-e-1m-53BX-10-SA	4002750	20	20	180,59
13	PR-AN-Sh-e-1m-53BX-13-SA	4002752	14	14	198,42
19	PR-AN-Sh-e-1m-53BX-19-SA	4002754	10	10	241,18
25	PR-AN-Sh-e-1m-53BX-25-SA	4002756	8	8	264,19
32	PR-AN-Sh-e-1m-53BX-32-SA	4002757	6	6	304,32



Kaiflex Protect TS

Mata · w rolce · powlekana (TS)

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	PR-TS-Sh-e-1m-53BX-06	4007639	30	30	115,93
10	PR-TS-Sh-e-1m-53BX-10	4007640	20	20	153,02
13	PR-TS-Sh-e-1m-53BX-13	4007641	14	14	163,33
19	PR-TS-Sh-e-1m-53BX-19	4002451	10	10	191,51
25	PR-TS-Sh-e-1m-53BX-25	4002452	8	8	218,75
32	PR-TS-Sh-e-1m-53BX-32	4007642	6	6	266,58

Kaiflex Protect TS

Mata · w rolce · powlekana (TS) · samoprzylepna

Kolor: Antracyt/Czarny · Szerokość: 1 m · Ø średnica rolki: 53 cm · w kartonie

Grubość mm	Wymiar / Odnosnik	Nr kat.	m/ karton	m²/ karton	zł/ m²
6	PR-TS-Sh-e-1m-53BX-06-SA	4007643	30	30	154,24
10	PR-TS-Sh-e-1m-53BX-10-SA	4007644	20	20	183,47
13	PR-TS-Sh-e-1m-53BX-13-SA	4002453	14	14	193,87
19	PR-TS-Sh-e-1m-53BX-19-SA	4002454	10	10	222,33
25	PR-TS-Sh-e-1m-53BX-25-SA	4002455	8	8	249,85
32	PR-TS-Sh-e-1m-53BX-32-SA	4002456	6	6	298,21

Protect (R) HD

Materiał powłokowy

Kolor: Szary

Grubość mm	Wymiar / Odnosnik	Nr kat.	Długość m	Szeroki mm	zł/ m²
1,4	PR-R-HD-Ct-1025/20	4012911	20	1,025	633,33

**Kaiflex RT-ST**

Wkładka do obejmy chłodniczej · powlekana (PVC) · z zakładką samoprzylepną

Kolor: Antracyt/Czarny									
13 mm Grubość					19 mm Grubość				
Ø zew. mm	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.	Ø zew. mm	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.
37,2	RT-ST-13x010	4002234	52	19,89	49,2	RT-ST-19x010	4002266	32	22,53
39,2	RT-ST-13x012	4002235	48	19,97	51,2	RT-ST-19x012	4002267	28	23,06
42,2	RT-ST-13x015	4002236	40	20,29	54,2	RT-ST-19x015	4002268	22	24,52
45,2	RT-ST-13x018	4002237	32	20,95	57,2	RT-ST-19x018	4002269	20	27,01
49,2	RT-ST-13x022	4002238	32	22,66	61,2	RT-ST-19x022	4002271	32	28,38
52,2	RT-ST-13x025	4002239	46	24,63	64,2	RT-ST-19x025	4002272	30	30,30
55,2	RT-ST-13x028	4002240	40	26,16	67,2	RT-ST-19x028	4002273	24	31,85
62,2	RT-ST-13x035	4002242	30	27,96	74,2	RT-ST-19x035	4002276	38	36,09
69,8	RT-ST-13x042	4002243	46	30,01	81,8	RT-ST-19x042	4002278	32	36,86
76,2	RT-ST-13x048	4002244	34	33,71	88,2	RT-ST-19x048	4002279	28	40,71
81,4	RT-ST-13x054	4002246	32	36,61	93,4	RT-ST-19x054	4002280	48	44,16
84,4	RT-ST-13x057	4002247	28	38,48	96,4	RT-ST-19x057	4002281	48	46,16
88,0	RT-ST-13x060	4002248	56	40,06	100,0	RT-ST-19x060	4002282	44	47,80
92,0	RT-ST-13x064	4002249	48	42,63	104,0	RT-ST-19x064	4002283	40	49,63
97,4	RT-ST-13x070	4002251	44	46,41	109,4	RT-ST-19x070	4002284	32	56,71
103,8	RT-ST-13x076	4002252	40	50,77	115,8	RT-ST-19x076	4002285	30	60,40
107,4	RT-ST-13x080	4002253	36	56,11	119,4	RT-ST-19x080	4002286	28	66,26
117,0	RT-ST-13x089	4002254	30	60,92	129,0	RT-ST-19x089	4002287	26	71,26
135,8	RT-ST-13x108	4002256	22	71,73	147,8	RT-ST-19x108	4002288	18	82,79
142,4	RT-ST-13x114	4002257	18	76,74	154,4	RT-ST-19x114	4002289	16	88,63
152,8	RT-ST-13x125	4002258	16	89,54	164,8	RT-ST-19x125	4002290	12	106,63
161,2	RT-ST-13x133	4002259	14	95,62	173,2	RT-ST-19x133	4002291	12	116,62
168,0	RT-ST-13x140	4002260	14	103,79	180,0	RT-ST-19x140	4002292	12	120,11
187,2	RT-ST-13x160	4002261	12	125,38	199,2	RT-ST-19x160	4002293	8	139,94

25 mm Grubość					32 mm Grubość				
Ø zew. mm	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.	Ø zew. mm	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.
69,2	RT-ST-25x018	4002304	24	30,69	83,3	RT-ST-32x018	4002329	28	41,88
73,2	RT-ST-25x022	4002305	38	38,93	87,3	RT-ST-32x022	4002330	24	43,23
79,2	RT-ST-25x028	4002306	32	41,47	93,3	RT-ST-32x028	4002331	24	45,95
86,2	RT-ST-25x035	4002307	26	46,61	100,3	RT-ST-32x035	4002332	18	53,76
93,8	RT-ST-25x042	4002308	22	52,73	107,8	RT-ST-32x042	4002333	40	57,43
100,2	RT-ST-25x048	4002309	44	58,78	114,2	RT-ST-32x048	4002334	30	63,49
105,4	RT-ST-25x054	4002310	40	62,85	119,4	RT-ST-32x054	4002335	30	68,94
112,0	RT-ST-25x060	4002311	36	63,62	126,0	RT-ST-32x060	4002336	26	72,99
116,0	RT-ST-25x064	4002312	30	67,41	130,0	RT-ST-32x064	4002337	24	79,04
					135,4	RT-ST-32x070	4002338	22	83,13
127,8	RT-ST-25x076	4002313	24	78,25	141,8	RT-ST-32x076	4002339	22	95,28
					145,4	RT-ST-32x080	4002340	16	101,62
141,0	RT-ST-25x089	4002314	22	92,24	155,0	RT-ST-32x089	4002341	16	108,99
159,8	RT-ST-25x108	4002315	16	106,11	173,8	RT-ST-32x108	4002343	12	123,10
166,4	RT-ST-25x114	4002316	12	110,82	180,4	RT-ST-32x114	4002344	12	131,06
					199,2	RT-ST-32x133	4002345	8	148,68
192,0	RT-ST-25x140	4002318	12	143,45	206,0	RT-ST-32x140	4002346	8	159,25
					225,2	RT-ST-32x160	4002347	6	187,12

Szerokość obejmy chłodniczej: <133 mm: 50 mm · ≥133 mm: 100 mm

Nośność jest wystarczająca, o ile odległości montażowe są zgodne z normą DIN 1988 lub krótsze.

Kaiflex FT

Wspornik kanału wentylacyjnego

Kolor: Antracyt · Długość: 2 m

Grubość mm	Wymiar / Odnośnik	Nr kat.	Szerokość mm	Szt./ karton	m/ karton	zł/ Szt.
13	FT-13	4004055	75	12	24	337,11
19	FT-19	4004056	100	10	20	414,58
25	FT-25	4014505	100	8	16	468,53
32	FT-32	4004057	100	6	12	509,82

Kaiflex ECplus

Łączenie doczołowe · samoprzylepne

Kolor: Czarny									
KKplus 2 Grubość 11,5 - 14,5 mm					KKplus 4 Grubość 17,5 - 22,5 mm				
gr. izolacji mm	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.	gr. izolacji mm	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.
11,5	EC+-Jo-2/018-SA	4004995	300	4,26	17,5	EC+-Jo-4/018-SA	4005005	180	6,07
12,0	EC+-Jo-2/022-SA	4004996	240	4,71	18,0	EC+-Jo-4/022-SA	4005006	160	6,53
12,5	EC+-Jo-2/028-SA	4004997	200	6,07	19,0	EC+-Jo-4/028-SA	4005007	125	7,80
13,0	EC+-Jo-2/035-SA	4004998	150	7,16	19,5	EC+-Jo-4/035-SA	4005008	100	9,33
13,5	EC+-Jo-2/042-SA	4004999	100	8,52	20,0	EC+-Jo-4/042-SA	4005009	80	10,69
13,5	EC+-Jo-2/048-SA	4005000	100	10,33	20,5	EC+-Jo-4/048-SA	4005010	60	12,68
13,5	EC+-Jo-2/054-SA	4005001	80	10,51	21,0	EC+-Jo-4/054-SA	4005011	60	14,41
14,0	EC+-Jo-2/060-SA	4005002	80	11,87	21,5	EC+-Jo-4/060-SA	4005012	50	15,86
14,0	EC+-Jo-2/076-SA	4005003	70	14,59	22,0	EC+-Jo-4/076-SA	4005013	40	19,39
14,5	EC+-Jo-2/089-SA	4005004	50	17,67	22,5	EC+-Jo-4/089-SA	4005014	30	23,74

Kaiflex ECplus

Łączenie doczołowe · samoprzylepne

Kolor: Czarny							
9 mm Grubość				13 mm Grubość			
Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.	Wymiar / Odkośnik	Nr kat.	Szt./ karton	zł/ Szt.
EC+-Jo-09x006-SA	4005015	1.125	2,81				
EC+-Jo-09x010-SA	4005016	950	3,09	EC+-Jo-13x010-SA	4005037	560	3,83
EC+-Jo-09x012-SA	4005017	800	3,28	EC+-Jo-13x012-SA	4005038	500	4,08
EC+-Jo-09x015-SA	4005018	660	3,65	EC+-Jo-13x015-SA	4005039	450	4,38
EC+-Jo-09x018-SA	4005019	600	3,88	EC+-Jo-13x018-SA	4005040	370	4,72
EC+-Jo-09x022-SA	4005020	470	4,33	EC+-Jo-13x022-SA	4005041	335	5,15
EC+-Jo-09x028-SA	4005021	375	5,01	EC+-Jo-13x028-SA	4005042	260	6,02
EC+-Jo-09x035-SA	4005022	290	5,93	EC+-Jo-13x035-SA	4005043	210	7,06
				EC+-Jo-13x042-SA	4005044	175	8,30
				EC+-Jo-13x048-SA	4005045	160	9,16
				EC+-Jo-13x054-SA	4005046	150	10,22
				EC+-Jo-13x060-SA	4005047	120	11,51
				EC+-Jo-13x064-SA	4005048	120	12,39
				EC+-Jo-13x076-SA	4005049	115	14,17
				EC+-Jo-13x089-SA	4005050	100	16,98
				EC+-Jo-13x108-SA	4005051	80	21,69
				EC+-Jo-13x114-SA	4005052	80	25,16
				EC+-Jo-13x140-SA	4005055	50	33,16

Kaiflex ECplus

Łączenie doczołowe · samoprzylepna

Kolor: Czarny							
19 mm Grubość				25 mm Grubość			
Wymiar / Odnosnik	Nr kat.	Szt./ karton	zł/ Szt.	Wymiar / Odnosnik	Nr kat.	Szt./ karton	zł/ Szt.
EC+-Jo-19x010 -SA	4005057	360	5,01				
EC+-Jo-19x012 -SA	4005058	300	5,36				
EC+-Jo-19x015 -SA	4005059	280	5,81				
EC+-Jo-19x018 -SA	4005060	215	6,36	EC+-Jo-25x018 -SA	4005078	155	8,40
EC+-Jo-19x022 -SA	4005061	215	6,85	EC+-Jo-25x022 -SA	4005079	125	9,37
EC+-Jo-19x028 -SA	4005062	165	7,92	EC+-Jo-25x028 -SA	4005080	115	10,86
EC+-Jo-19x035 -SA	4005063	145	9,28	EC+-Jo-25x035 -SA	4005081	100	12,21
EC+-Jo-19x042 -SA	4005064	120	10,69	EC+-Jo-25x042 -SA	4005082	80	13,63
EC+-Jo-19x048 -SA	4005065	115	11,84	EC+-Jo-25x048 -SA	4005083	70	15,68
EC+-Jo-19x054 -SA	4005066	90	13,30	EC+-Jo-25x054 -SA	4005084	70	16,32
EC+-Jo-19x060 -SA	4005067	90	14,23	EC+-Jo-25x060 -SA	4005085	65	18,36
EC+-Jo-19x064 -SA	4005068	90	14,80	EC+-Jo-25x064 -SA	4005086	60	18,80
EC+-Jo-19x076 -SA	4005069	70	19,22	EC+-Jo-25x076 -SA	4005087	50	22,91
EC+-Jo-19x089 -SA	4005070	70	21,02	EC+-Jo-25x089 -SA	4005088	40	28,95
EC+-Jo-19x114 -SA	4005072	55	28,29	EC+-Jo-25x114 -SA	4005090	30	34,78
EC+-Jo-19x140 -SA	4005075	40	33,48	EC+-Jo-25x140 -SA	4005091	25	36,76

32 mm Grubość							
Wymiar / Odnosnik	Nr kat.	Szt./ karton	zł/ Szt.				
EC+-Jo-32x018 -SA	4005095	90	11,29				
EC+-Jo-32x022 -SA	4005096	90	12,08				
EC+-Jo-32x028 -SA	4005097	80	13,35				
EC+-Jo-32x035 -SA	4005098	75	15,53				
EC+-Jo-32x042 -SA	4005099	60	17,11				
EC+-Jo-32x048 -SA	4005100	55	18,90				
EC+-Jo-32x054 -SA	4005101	50	21,57				
EC+-Jo-32x060 -SA	4005102	45	23,38				
EC+-Jo-32x070 -SA	4005104	40	25,52				
EC+-Jo-32x076 -SA	4005105	40	28,95				
EC+-Jo-32x089 -SA	4005106	30	33,74				
EC+-Jo-32x114 -SA	4005108	25	38,25				

Kaiflex Pyrostar XTRA

Taśma ogniochronna

Kolor: Antracyt - w tym drut nawojowy/wiązałkowy

Wymiar / Odnośnik	Nr kat.	Długość m	Szeroki mm	Szt./ karton	zł/ m²
PY-X-Fw-125/10	4014343	10	125	1	1.234,95

Kleje i inne

	Szczegóły	Wymiar / Odnośnik	Nr kat.	Typ pojemnika	Zawartość	Szt./karton	zł/Szt.
Klej							
Kaiflex Klej Specjalny 415		Ad-415-CA660	4007232	Puszka	660 g	20	236,57
Kaiflex Klej Specjalny 414	z pędzlem · nie zawierający toluenu	Ad-414-CA220	4004706	Puszka	220 g	24	43,80
Kaiflex Klej Specjalny 414	nie zawierający toluenu	Ad-414-CA660	4004708	Puszka	660 g	20	78,35
Kaiflex Klej Specjalny 414	nie zawierający toluenu	Ad-414-CN2200	4004710	Kanister	2.200 g	6	203,44
Kaiflex Spezialkleber EPDM	nie zawierający toluenu	Ad-EPDM-CA660	4004699	Puszka	660 g	20	137,91
Kaiflex Klej Specjalny 515 ECO	bez rozpuszczalników	Ad-515-CA1000	4013475	Puszka	1.000 g	12	496,17
Środek Czyszczący							
Środek Czyszczący		Clean-CA1000	4004732	Puszka	1,0 l	12	73,94
Powłoka ochronna							
Kaifinish Color	Kolor: Biały (ok. RAL 9010)	KF-Co-wh-CA750	4004719	Puszka	0,75 l	4	150,81
Kaifinish Color	Kolor: Szary (ok. RAL 7035)	KF-Co-gr-CA750	4004720	Puszka	0,75 l	4	150,81
Kaifinish Color	Kolor: Czarny (ok. RAL 9005)	KF-Co-bl-CA750	4004721	Puszka	0,75 l	4	150,81
Ochrona przeciw korozji							
Kaifinish Primer	Spoivo	KF-Pr-CA2,5	4004474	Puszka	2,5 kg	4	344,42
Kaifinish Base	Powłoka bazowa	KF-Bs-CA3,5	4004475	Puszka	3,5 kg	4	495,61
Kaifinish Cover	Powłoka zewnętrzna	KF-Cv-CA3,5	4004476	Puszka	3,5 kg	4	575,34
Masa uszczelniająca							
Protect Masa uszczelniająca	Kolor: Szary	PR-Sc-gr-CR290	4004678	Tuba	290 g	12	125,89
Protect Masa uszczelniająca	Kolor: Czarny	PR-Sc-bl-CR290	4004679	Tuba	290 g	12	125,89
Protect Masa uszczelniająca	Kolor: Przezroczysty	PR-Sc-tr-CR290	4004680	Tuba	290 g	12	125,89
Mieszanka ognioodporna							
BMK Mieszanka ognioodporna	Kolor: Antracyt	BMK-Fpc-CR0,4	4004406	Tuba	400 g	12	182,93

Narzędzia

	Szczegóły	Wymiar / Odnośnik	Nr kat.	Szt./karton	zł/Szt.
Pompka do kleju					
Pompka do kleju	długa szyjka · Pędzel 17 mm	GI-Pmp-long	4004718	1	303,15
Pompka do kleju	krótka szyjka · Pędzel 17 mm	GI-Pmp-short	4004715	1	283,33
Pędzel 11 mm	do pompki do kleju	GI-Pmp-Brush-11	4004716	1	96,52
Pędzel 17 mm	do pompki do kleju	GI-Pmp-Brush-17	4004717	1	103,67
Nóż					
Nóż ceramiczny	Nóż z ostrzem ceramicznym (15 cm) i rękojeścią z tworzywa sztucznego (14 cm)	Knf-Ceramic	138,33	1	133,27
Nóż do cięcia mat		Knf-Sheet	4004735	1	86,64
Zestaw noży	3 noże, 1 oselka	Knf-Set	4004736	1	269,04
Sztyfty żelowe					
Sztyfty żelowe	Kolor: Srebrnoszary · do oznaczania materiałów izolacyjnych	Gelpen	4004730	12	290,54



Produkty w rolkach

	Szczegóły	Wymiar / Odnośnik	samo- przylepna	Nr kat.	Szerokość mm	Długość m	Grubość mm	Szt./ karton	zł/ Szt.
Kaiflex Taśma									
Kaiflex KKplus s1 Taśma	powlekana (INCERAM-Cladding)	Tp-KK+s1-50/15/3-SA	•	4010454	50	15	4	12	310,21
Kaiflex ST Taśma		Tp-ST-50/15/3-SA	•	4004675	50	15	3	12	56,35
Kaiflex EPDMplus Taśma		Tp-EPDM+-50/15/3-SA	•	4004142	50	15	3	12	191,71
Kaiflex HFplus s2 Taśma		Tp-HF+s2-50/15/3-SA	•	4005135	50	15	3	12	89,08
Alu Taśma									
Alu Taśma		Tp-ALU-50/50/30-SA	•	4010312	50	50	0,03	24	196,25
Protect Alu Butyl Taśma									
Protect Alu Butyl Taśma		Tp-PR-AluBty-20/25-SA	•	4004681	20	25	-	30	149,20
Protect Alu Butyl Taśma		Tp-PR-AluBty-50/25-SA	•	4004682	50	25	-	12	372,58
Protect Alu Butyl Taśma		Tp-PR-AluBty-100/25-SA	•	4004684	100	25	-	6	732,94
Protect Alu Taśma									
Protect Alu Taśma		Tp-PR-Alu-19/25-SA	•	4004401	19	25	-	36	92,75
Protect Alu Taśma		Tp-PR-Alu-50/50-SA	•	4004402	50	50	-	24	240,36
Protect AluTaśma		Tp-PR-Alu-100/50-SA	•	4004403	100	50	-	12	472,87
Protect BLACK Butyl Taśma									
Protect BLACK Butyl Taśma		Tp-PR-BBty-50/25-SA	•	4004685	50	25	-	2	316,69
Protect TS Taśma									
Protect TS Taśma		Tp-PR-TS-50/15/3-SA	•	4004074	50	15	3	12	160,13
		Wymiar / Odnośnik	samo- przylepna	Nr kat.	Szerokość mm	Długość m			zł/ m ²
Materiał powłokowy									
Protect Alu-TEC Materiał powłokowy		PR-AT-Ct-1060/25		4003844	1.060	25			101,79
Protect Alu-TEC Materiał powłokowy		PR-AT-Ct-1000/25-SA	•	4003845	1.050	25			122,13
Protect F-BLACK Materiał powłokowy		PR-FB-Ct-1060/25		4003843	1.060	25			97,76
Protect F-BLACK Materiał powłokowy		PR-FB-Ct-1000/25-SA	•	4003847	1.000	25			118,26

Inne

Drut nawojowy/wiązałkowy					
	Szczegóły	Wymiar / Odnośnik	Nr kat.	Szt./ karton	zł/ Szt.
Drut nawojowy/wiązałkowy	Średnica ok. 0,65 mm · ok. 100 g	Wwr-065/100	4004806	25	17,00



Ogólne warunki dostaw

Wersja: 08/2024

§ 1 Scope of Application

- (1) All sales and deliveries by Kaimann GmbH ("Seller") to any entrepreneur as defined by section 14 German Civil Code [BGB], any legal entity under public law or any fund under public law ("Buyer") (collectively "the Parties") shall be governed exclusively by the Seller's General Terms and Conditions of Sale and Delivery ("General Terms and Conditions of Sale and Delivery").
- (2) Whether or not these General Terms and Conditions of Sale and Delivery are expressly agreed upon again, they shall apply also to all future sales and deliveries by the Seller to the Buyer. The version current at the time the contract is concluded shall apply in each case. The Seller shall, without undue delay, inform the Buyer of all new versions of these General Terms and Conditions of Sale and Delivery.
- (3) The Seller shall not accept any terms or conditions of the Buyer that conflict with, supplement or deviate from these General Terms and Conditions of Sale and Delivery, unless the Seller has expressly consented to their application. These General Terms and Conditions of Sale and Delivery shall apply even if the Seller unconditionally carries out an order knowing of terms and conditions of the Buyer conflicting with or deviating from these General Terms and Conditions of Sale and Delivery.

§ 2 Quotations, Conclusion of the Contract, Other Declarations

- (1) The Seller's quotations shall always be subject to change without notice. A contract shall come into being, if the Seller accepts an offer from the Buyer by acknowledging the Buyer's order in writing (including email) or by carrying out the Buyer's order. The Buyer shall be bound by its purchase order for 10 days.
- (2) Verbal commitments made by any representatives or other assistants of the Seller shall be binding only if and in so far as the Seller has confirmed the same in writing.
- (3) All legally relevant declarations and notifications required to be made by the Buyer to the Seller or any third party must be in text form.

§ 3 Performance by Third Parties

The Seller hereby reserves the right to appoint third parties to render services owed under the contract. The Buyer's rights against the Seller shall remain unaffected hereby.

§ 4 The Seller's Right of Rescission

- (1) If the Seller itself is not supplied, not supplied correctly or not supplied in due time by its suppliers, the Seller shall be entitled to rescind the contract.
- (2) Furthermore, the Seller shall be entitled to rescind the contract, if the Buyer has filed a petition for the institution of insolvency proceedings concerning its assets or has executed an affirmation in lieu of an oath in accordance with section 807 Code of Civil Procedure (ZPO), or if insolvency proceedings concerning its assets have been instituted or the institution of such proceedings has been dismissed owing to a lack of assets.
- (3) The Seller's other rights of rescission shall remain unaffected, in particular the rights of withdrawal and termination specified under § 7 and § 8 in conjunction with "No re-export to Russia and Belarus- Clause and the Ethics and Compliance clause.

§ 5 Delivery

- (1) Except where otherwise agreed upon, deliveries shall take place "ex works" Kaimann GmbH Hövelhof (Incoterms 2020).
- (2) The delivery period agreed upon in the contract shall apply. In the absence of a contractual agreement in this respect, the delivery period shall be 6 weeks from acknowledgement of the order within the meaning of § 2 (1). In so far as the Buyer is subject to a duty to co-operate, the delivery period shall not begin to run before the buyer has fulfilled such a duty.
- (3) If delivery is temporarily delayed owing to force majeure or any other events unforeseeable at the time of the conclusion of the contract (operational disruptions of any kind, even if occurring at third parties appointed by the Seller or at their contractors; bottlenecks in the supply of material; etc.), the delivery period shall be extended accordingly. If such events lead to delivery being deferred by more than four months, both Parties shall be entitled to rescind the contract in respect of the scope of the services concerned. No other claims shall exist unless the consignee notifies the carrier of the delay in delivery within 21 days after delivery.
- (4) Sub-deliveries shall be permissible in so far as reasonable for the Buyer.
- (5) The Buyer may assign its claims arising from the contractual relationship only with the Seller's prior consent.

§ 6 Export Control Law

- (1) The Buyer hereby undertakes to refrain from carrying out under any circumstances any of the following transactions:
 - transactions with persons, organisations or institutions listed on the sanctions list under EC Regulations or US export provisions;
 - transactions with UN/EC-embargo states prohibited;
 - transactions for which an essential permit is lacking.
 The Buyer shall be liable for all expenditure and loss incurred by the Seller as

a result of any violation.

- (2) The Seller's contractual obligations shall cease to apply, if and in so far as applicable national or international foreign trade legislation and/or embargos and/or other sanctions conflict therewith.

§ 7 "No re-export to Russia and Belarus" Clause

- (1) Russian Federation
 - The [Importer/Buyer] shall not sell, export or re-export goods supplied under or in connection with this Agreement that fall within the scope of Article 12g of Regulation (EU) No 833/2014 directly or indirectly to the Russian Federation or for use in the Russian Federation.
 - The [Importer/Buyer] shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any intellectual property rights, trade secrets or other information sold, licensed, or otherwise transferred under or in connection with this Agreement that fall within the scope of Article 12ga of Regulation (EU) No 833/2014.
- (2) Belarus

The [Importer/Buyer] shall not sell, export or re-export, directly or indirectly, goods supplied under or in connection with this Agreement that fall within the scope of Article 8g of Regulation (EC) No 765/2006 to Belarus or for use in Belarus.
- (3) The [Importer/Buyer] shall undertake its best efforts to ensure that the purpose of paragraph (1) and (2) is not frustrated by any third parties further down the commercial chain, including by possible resellers.
- (4) The [Importer/Buyer] shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1) and (2).
- (5) If the [Importer/Buyer] culpably breaches one or more obligations arising from paragraphs (1), (2), (3) and (4), this shall constitute a material breach of contract for grave cause, entitling the [Exporter/Seller] to take appropriate and proportionate remedial measures depending on the nature, gravity and duration of the breaches of contract, which are enumerated below (non-exhaustive list):
 - Refusal of supply (rejection of any new order and/or suspension of delivery for current orders) or
 - Withdraw from the contract or
 - Extraordinary termination for grave cause without prior notice
 In addition to the rights under (5) (a)-(c), the [Exporter/Seller] shall be entitled to impose a reasonable liable fault-based contractual penalty in the event of the conditions set out under (5) in the amount of 1% of the order value, but not more than EUR 25,000, and in the event of multiple breaches not more than 5% of the order value, but not more than EUR 250,000. Proof of higher damages and further statutory claims shall remain unaffected; the contractual penalty shall be offset against further monetary claims. The [Importer/Buyer] shall be entitled to prove that the [Exporter/Seller] has suffered no loss at all or only a significantly lower loss than the above contractual penalty.

The [Importer/Buyer] shall immediately inform the [Exporter/Seller] in writing of the remedial action taken.
- (6) The [Importer/Buyer] shall immediately inform the [Exporter/Seller] about any problems in applying paragraphs (1), (2), (3) or (4), including any relevant activities by third parties that could frustrate the purpose of paragraph (1) and (2). The [Importer/Buyer] shall make available to the [Exporter/Seller] information concerning compliance with the obligations under paragraph (1), (2), (3) and (4) within two weeks of the simple request of such information
- (7) Russian Federation
 - The [Exporter/Seller] shall undertake its best efforts to ensure that, where it falls within the scope of Article 8a of Regulation (EU) No 833/2014 legal persons, entities or bodies established outside the Union and owned or controlled by it do not engage in activities that undermine the restrictive measures provided for in Regulation (EU) No 833/2014.
 - The [Exporter/Seller] undertakes to comply with the procedure set out in Article 12gb of Regulation (EU) No 833/2014 [A4] regarding the sale, supply, transfer or export of the common priority items listed in Annex XL to Regulation (EU) No 833/2014 as of 26 December 2024
- (8) Belarus
 - a) The [Exporter/Seller] shall undertake its best efforts to ensure that, where it falls within the scope of Article 8i of Regulation (EC) No 765/2006, legal persons, entities or bodies owned or controlled by it and established outside the Union do not engage in activities that undermine the restrictive measures provided for in Council Regulation (EC) No 765/2006.
 - b) The [Exporter/Seller] undertakes to comply with the procedure laid down in Article 8ga of Regulation (EC) No 765/2006 [with regard to the sale, supply, transfer or export of the items of common high priority listed in Annex XXX to Regulation (EC) No 765/2006 from 2 January 2025.

Ogólne warunki dostaw

Wersja: 08/2024

§ 8 Ethics and Compliance Clause

- (1) In the performance of the contract, the Buyer undertakes to comply with all applicable laws and regulations relating to it, in particular those relating to the following:
 - a) employee rights (including health and safety in the workplace and prohibition of forced and child labour),
 - b) environmental law,
 - c) financial integrity (including the prohibition of all forms of corruption and the fight against money laundering)
 - d) competition and antitrust law.
- (2) The Seller reserves the right to refuse any new order and/or to suspend delivery for current orders, i.e., to refuse performance or to withdraw from the contract, if a new law or regulation makes the fulfilment of its contractual obligation illegal or impossible or imposes sanctions on it, without the Seller having to assume any liability for this.

The seller shall immediately inform the buyer in writing of the right exercised.

For continuing obligations, the right to terminate without notice for good cause, which is regulated under § 7 (5) of these GTC, shall replace the right of withdrawal.
- (3) The Buyer shall comply with the obligations specified under § 6 (1) and ensure that the employees, temporary workers or other third parties engaged by the Buyer to perform the order also strictly adhere to these obligations. Otherwise, the Seller reserves the right to terminate the contract without notice for good cause in accordance with § 7 (5) of these GTC, without the Seller having to assume any liability for this.
- (4) Furthermore, the Buyer undertakes to take all reasonable measures and procedures to comply with the aforementioned obligations and to inform the Seller of these upon request.

Otherwise, the Seller reserves the right to terminate the contract without notice for good cause in accordance with § 7 (5) of these GTC, without the Seller having to assume any liability for this.
- (5) The Seller may suspend the contract or an order after written notification to the Buyer and/or terminate it without notice for good cause. Good cause in this sense shall be deemed to exist in particular if one or more of the obligations listed under § 7 (1), (2), (3) and (4) of these GTC have been culpably breached by the Buyer.

The notice of termination shall contain the essential reasons which led to the assumption of the existence of good cause.

The Seller may claim damages under applicable law if the Buyer culpably breaches the aforementioned obligations. In no event shall the Seller be liable for any damages incurred by the Buyer as a result of the suspension or termination of the contract or an order. The Buyer undertakes to bear its own costs resulting from the suspension or termination and to mitigate the consequences of the resulting damage.
- (6) The Buyer confirms that it has been informed of the Seller's professional warning system, which is accessible at the following address:
<https://www.bkms-system.com/saint-gobain>.

§ 9 Prices and Payment Terms

- (1) Except where otherwise agreed upon, prices for deliveries shall apply "ex works" Kaimann GmbH in Hövelhof (Incoterms 2020). In particular, such prices shall not include costs for shipping and transportation.
- (2) All prices shall be subject to the addition of value-added tax at the rate prescribed by law at the time the invoice is issued.
- (3) The Seller shall be entitled to invoice separately for any permissible sub-deliveries.
- (4) The Seller hereby reserves the right to alter its prices accordingly, if costs fall or rise after the conclusion of the contract, particularly as a result of collective bargaining agreements or changes in the price of materials. The Seller shall prove such reductions or increases in costs, if the Buyer so requests.
- (5) The amounts invoiced shall be paid within 14 days of the invoice date.
- (6) Discountable bills of exchange and cheques shall be accepted by the Seller only by prior agreement and only on account of performance. Payment shall be deemed to have been made only when the bill of exchange or cheque amount has been definitively credited to a bank account of the Seller. All discounting, banking and collection charges, as well as all stamp duty shall be reimbursed by the Buyer.
- (7) Payments shall always be credited against the oldest invoice. If charges and interest have already been incurred, payments shall first be credited against charges, then against interest and finally against the principal claims.
- (8) The Buyer shall have a right of set-off only if and in so far as its counter-claims are undisputed or have been determined by a final and non-appealable court judgement or its counterclaims are based on the same contractual relationship. The Buyer shall have a right of retention only if and in so far as its counterclaims are based on the same contractual relationship and are undisputed or have been determined by a final and non-appealable court judgement.

§ 10 Pallets, Packaging

- (1) In so far as the Seller delivers the goods on returnable pallets, the Buyer shall return, in exchange on a concurrent basis, the same number of returnable pallets of the same kind and in similar condition. If no proper exchange occurs, the Buyer shall pay rental fees. The type, number of returnable packaging as well as the amount of rental fees will be communicated to the Buyer by the Seller in the course of the order confirmation, at the latest, however, when the invoice is issued.
- (2) To keep the selling prices as stable as possible, costs in connection with the recovery and recycling of used packaging are not yet included in the delivery prices. Therefore, the Buyer shall recycle all used packaging independently and on its own account in accordance with the statutory and official requirements. The Buyer shall not be permitted, in this respect, to levy charges or reduce the amounts invoiced.

§ 11 Retention of Title

- (1) The Seller shall retain title to the goods delivered until all present and future claims arising from the business relationship with the Buyer have been paid in full ("Goods under Retention of Title"). In the case of a running account, the property under retention of title shall serve to secure the balance claim.
- (2) The Buyer shall treat all Goods under Retention of Title with care and shall adequately insure the same against fire damage, water damage and theft on a replacement value basis at its own expense. In so far as servicing and inspection work is necessary, the Buyer shall carry out such work in due time at its own expense.
- (3) The Buyer shall be entitled to on-sell Goods under Retention of Title in the ordinary course of its business. However, the Buyer hereby assigns to the Seller all claims accruing to it from or in connection with on-selling against its customers or third parties (including all security and all ancillary rights) up to the sum of the final invoiced amount of the Seller's claims (including value-added tax), regardless of whether the item purchased is on-sold without having been processed or after having been processed. The Buyer shall, even after this assignment of claims, remain authorised to collect such claims. The Seller's right to collect such claims itself shall remain unaffected hereby. However, the Seller undertakes not to make use of this right as long as the Buyer meets its payments out of the proceeds received and has not defaulted on payment, particularly as long as no petition for the institution of insolvency proceedings has been filed and no payments have been suspended. In such cases, the Buyer shall inform the Seller of the claims assigned and the debtors concerned, provide all information necessary for collecting the claims, hand over all relevant documents and give the debtors (third parties) notification of this assignment.
- (4) The Buyer shall not be entitled to pledge Goods under Retention of Title assign the same as security or encumber the same with any other third-party rights. The Buyer shall, without undue delay, inform the Seller of all third-party compulsory execution measures concerning Goods under Retention of Title and hand over all documents necessary for any intervention. This shall apply also to impairments of any kind. Notwithstanding the foregoing, the Buyer shall point out to the third parties in advance all rights existing in respect of the Goods under Retention of Title. In so far as the third party is unable to reimburse the costs in connection with any intervention by the Seller, the Buyer shall bear such costs.
- (5) Any processing or remodelling of Goods under Retention of Title by the Buyer shall always be deemed to have been carried out on the Seller's behalf. If any Goods under Retention of Title are processed together with other items not belonging to the Seller, the Seller shall acquire joint title to the new item in the ratio of the value of the Goods under Retention of Title (final amount invoiced, including value-added tax) in relation to the other processed items at the time of processing. Moreover, the terms and conditions applicable to Goods under Retention of Title shall apply equally to the item created as a result of processing.
- (6) If any Goods under Retention of Title are inseparably mixed with other items not belonging to the Seller, the Seller shall acquire joint title to the new item in the ratio of the value of the Goods under Retention of Title (final amount invoiced, including value-added tax) in relation to the other mixed items at the time of mixing. If such mixing occurs in such a manner that the Buyer's item is to be regarded as the main item, it shall be deemed agreed that the Buyer shall transfer joint title to the Seller on a pro-rata basis. The Buyer shall hold in safekeeping for the Seller the sole or joint property thus created.
- (7) As security for the Seller's claims against the Buyer, the Buyer hereby also assigns to the Seller all claims accruing to the Buyer against a third party as a result of Goods under Retention of Title having been connected to any plot of land.
- (8) If the Seller is entitled to reclaim possession of Goods under Retention of Title, the Buyer shall bear the cost of such repossession. The Seller shall be authorised to realise such repossessed Goods under Retention of Title on the open market for the best possible price and credit the proceeds, less any appropriate costs in connection with such realisation, against the

Ogólne warunki dostaw

Wersja: 08/2024

amounts owed by the Buyer.

- (9) If the realisable value of the security exceeds the Seller's claims against the Buyer by more than 10 %, the Seller shall, if the Buyer so requests, release such security to a corresponding extent. The Seller hereby reserves the right to choose the security to be released.
- (10) If, in the case of deliveries abroad, this retention of title cannot be agreed upon with the same effect as under German law, yet it is permissible to reserve other rights in the item delivered, the Seller shall be entitled to such rights. The Buyer shall co-operate therewith in every respect.

§ 12 Moulds

- (1) The moulds required for manufacturing the goods shall remain the Seller's intellectual and in-rem property. This shall apply even if the Buyer has agreed to bear the cost of manufacturing such moulds. The Seller hereby reserves all copyrights, other property rights and rights of use.
- (2) In so far as the Buyer has agreed to bear the cost of manufacturing such moulds, such moulds shall be retained for two years from the day of the last delivery. Goods ordered by the Buyer shall be manufactured by the Seller with the aid of such moulds only if this has been expressly agreed upon

§ 13 The Seller's Documents

The Seller shall retain any and all rights of title, copyrights and industrial property rights in respect of illustrations, drawings, samples and other documents ("Documents"). This shall apply also to Documents not expressly designated as "confidential". The Buyer shall pass on such Documents to third parties only with the Seller's prior express written consent.

§ 14 Default in Taking Delivery

If the Buyer fails to accept the goods within a set grace period or refuses to take delivery of the goods, the Seller shall be entitled, without prejudice to any other rights, to rescind the contract and claim damages in lieu of performance. The damages in lieu of performance shall be a liquidated amount equal to 10 % of the purchase price excluding deductions, unless the Buyer proves that no loss at all was incurred or that the loss incurred was lower than such liquidated damages. The Seller hereby reserves the right to prove a higher loss.

§ 15 Warranty for Defects

- (1) The qualities of the goods to be delivered, including their usability for any specific purpose, shall ensue exclusively from the corresponding agreements made between the Parties. Deviations in dimensions and/or weight within the tolerance range customary in the trade shall not constitute a defect. Samples and specimens made available to the Buyer by the Seller shall serve only to approximately describe the goods. No illustrations in catalogues or prospectuses of the Seller shall be binding for execution. The Seller hereby reserves the right to make technical and/or design changes to the goods, in so far as such changes are customary in the trade, do not unreasonably impair the Buyer and do not impair the usability of the goods for the agreed purpose.
- (2) The Buyer shall give the Seller notification in text form of any and all obvious defects without undue delay, however no later than within 5 days of delivery. If the Buyer fails to give notification in due time and form, the delivery shall be deemed approved, unless the Seller has fraudulently concealed the defect. Moreover, section 377 German Commercial Code (HGB) shall apply. If the Buyer fails to inspect the relevant characteristics for the intended purpose of use before installing the goods, at least on a spot-check basis (e. g. by means of functional tests or trial installation), he violates the diligence normally used in commercial practice to a considerable extent (gross negligence).
- (3) In case of supplementary performance, the Seller hereby reserves the right to choose between eliminating any defect and delivering an item free from defects. This shall not apply in the event of supplier recourse under sections 445a, 445b German Civil Code (BGB), if the last contract within the supply chain is a purchase of consumer goods. Section 439 (3) German Civil Code (BGB) remains unaffected. The Buyer has to state and prove the necessity of expenses to remove defective and install non-defective goods. In order to substantiate these costs actually incurred for the reasonably implemented measure he is obliged to submit a comprehensible list of costs.
- (4) The Seller may refuse to provide subsequent performance if the costs of the subsequent performance are disproportionate due to the specific circumstances of the case. The costs are disproportionate, in particular, if the costs of subsequent performance are disproportionate in comparison with the value of a defect-free good or in comparison with the significance of the defect. This shall regularly be the case of the total costs of the subsequent performance required exceed 150 % of the value of the goods invoiced or 200 % of the amount representing the loss of value. This does not apply in the case of the sale of consumer goods. If it concerns a sale of consumer goods according to section 474 ff. German Civil Code (BGB), the Seller may limit the reimbursement of expenses to be paid to the Buyer to an appropriate amount.
- (5) The warranty period shall be one year. The statutory time-bar periods in

cases of fraudulent concealment, in cases where an item used for a building commensurately with its customary use has caused such a building to become defective and in cases of supplier recourse under sections 445a, 445b German Civil Code (BGB) shall remain unaffected, if the last contract within the supply chain is a purchase of consumer goods.

- (6) The Seller shall not assume any guarantees in the legal sense, unless expressly agreed upon.
- (7) Damage claims based on any defect not already deemed approved under § 15 (2) shall be governed by § 16.
- (8) Buyer's recourse claims according to sections 445a, 445b German Civil Code (BGB) shall only exist insofar as the Purchaser has not entered into any agreements with his customers that go beyond the statutory claims for defects. However, the Buyer's recourse claim shall only exist up to a maximum amount of 150 % of the value of goods invoiced. The latter stipulation does not apply, if the last contract within the supply chain is a purchase of consumer goods.
- (9) The limitation period for Buyer's recourse claims according to sections 445a, 445b German Civil Code (BGB) is one year after the statutory limitation period begins, unless the last contract within the supply chain is a purchase of consumer goods. If the last contract within the supply chain is a purchase of consumer goods, the statutory limitation periods shall remain unaffected.

§ 16 Liability for Damages

- (1) Unless otherwise stipulated in these General Terms and Conditions of Sale and Delivery, including the following provisions, the Seller shall be liable in the event of a breach of contractual and non-contractual obligations in accordance with the statutory provisions.
- (2) The Seller shall be liable for damages - on whatever legal grounds - within the scope of liability for culpa in cases of intent and gross negligence. In the event of simple negligence, the Seller shall only be liable subject to a milder standard of liability in accordance with statutory provisions (e.g. for diligence in his own matters) in the case of
- a) damages resulting from injury to life, body or health,
- b) damages arising from a not insignificant breach of a material contractual obligation (obligation whose fulfilment is essential for the proper performance of the contract and on whose compliance the contractual partner regularly relies and may rely); in this case the liability of the Seller is limited to compensation for the foreseeable, typically occurring damage.
- (3) The limitations of liability resulting from paragraph 2 shall equally apply to breaches of duty on the part of or in favour of persons whose fault the Seller is responsible for in accordance with statutory provisions. They do not apply if the Seller maliciously concealed a defect or assumed a guarantee for the quality of the goods and for claims of the Buyer under the Product Liability Act.
- (4) If the Seller is in default due to simple negligence, its liability for the damage caused by default shall also be limited to a maximum of 5 % of the agreed price.
- (5) Due to a breach of duty which does not consist in a defect, the Buyer can only withdraw or terminate if the Seller is responsible for the breach of duty. A free right of termination of the Buyer (in particular according to sections 650, 648 German Civil Code (BGB)) is excluded. In all other respects, the statutory requirements and legal consequences shall apply.

§ 14 Applicable Law, Place of Performance, Place of Jurisdiction

- (1) The laws of the Federal Republic of Germany, excluding the UN sales law (CISG), shall apply.
- (2) The place where the Seller's registered office is situated shall be the place of performance.
- (3) The place where the Seller's registered office is situated shall be the place of jurisdiction. However, the Seller hereby reserves the right to bring an action against the Buyer at the Buyer's place of general jurisdiction.

Treść niniejszego dokumentu odzwierciedla naszą wiedzę i doświadczenie w momencie publikacji. Nie stanowi to jednak gwarancji w sensie prawnym, chyba że wyraźnie ustalono inaczej. Stan wiedzy i doświadczenia podlega ciągłej ewolucji. Dlatego należy korzystać z najnowszego wydania tego dokumentu (dostępnego pod adresem www.kaimann.com). W razie jakichkolwiek pytań, prosimy o kontakt z naszym Biurem Obsługi Klienta lub przedstawicielem handlowym.

Kaiflex®, Kaifoam®, Kaisound®, Kaifinish® są zarejestrowanymi znakami towarowymi firmy Kaimann GmbH.

© Kaimann GmbH · Hansasträße 2-5 · 33161 Hövelhof · Germany · Phone: +49 5257 9850-0 · E-Mail: info.kaimann@ saint-gobain.com · www.kaimann.com

Zastrzega się prawo do dokonywania zmian.